



**Hospiscript**  
A Catalyst Rx Company

**DIAGNOSIS BASED  
FORMULARY  
2009**



## DIAGNOSIS BASED FORMULARY – 2009

### **Introduction**

HospiScript Services is pleased to provide this Diagnosis Based Formulary (DBF) to serve as a useful tool for physicians, nurses, and pharmacists in selecting the most appropriate and cost-effective therapies that best meet the needs of the patient. This formulary reference document lists the medications both alphabetically by generic drug name AND tiered by symptom and therapeutic class.

The purpose of the system supported DBF is two-fold:

1. It serves as an educational tool that guides hospice clinical staff in medication management of symptoms based on the patient's terminal diagnosis.
2. It provides electronic safety nets to prevent unrelated medications from being billed to the hospice.

### **How to Read the Diagnosis Based Formulary (DBF)**

The DBF is made up of two components. The Base List includes medications that manage symptoms common to all diagnoses, while the Diagnosis Specific Category medications are used to manage conditions of a particular disease. Together, these two lists represent the formulary for each terminal diagnosis. Upon admission to HospiScript, each patient is placed on this electronically supported formulary.

#### **(Base List + Diagnosis Specific Category = DBF)**

The Base List addresses symptoms common in most terminal diagnoses and includes medications to treat:

|                                      |                  |                                                           |
|--------------------------------------|------------------|-----------------------------------------------------------|
| Agitation                            | Anorexia         | Anxiety                                                   |
| Constipation                         | Cough            | Delirium                                                  |
| Depression                           | Diarrhea         | Dry Eyes                                                  |
| Dysphagia                            | Dyspnea          | Fatigue                                                   |
| Fever                                | Fluid retention  | Gastrointestinal symptoms                                 |
| Genitourinary symptoms               | Hiccups          | Hypokalemia                                               |
| Infection (bacterial, viral, fungal) | Insomnia         | Muscle spasms                                             |
| Nausea & vomiting                    | Neuropathic pain | Pain                                                      |
| Parkinsonism                         | Pruritus         | Respiratory (anti-inflammatory, decongestant, humidifier) |
| Secretions                           | Seizures         | Topicals                                                  |
| Xerostomia                           |                  |                                                           |

The Diagnosis Specific Categories include medications specific for:

|                                                    |                   |                           |
|----------------------------------------------------|-------------------|---------------------------|
| Cancer                                             | Pulmonary Disease | Heart Disease             |
| Stroke/Coma                                        | Liver Disease     | Renal Disease (base only) |
| Neuromuscular Disease                              | HIV/AIDS          | Dementia                  |
| Failure to Thrive/Debility Unspecified (base only) |                   |                           |

The medications included in the Diagnosis Based Formulary are consistent with practice standards in palliative care and are derived from current literature, including evidence based information, where available. The DBF is regularly reviewed and updated by the HospiScript Pharmacy & Therapeutics (P&T) Committee.

The Base List of medications is arranged by symptom in a tiered fashion. Under each tier, the medications are listed by drug class and in recommended order of preference assuming there are no specific criteria to warrant alternative drug therapy. You will note that a comment section provides helpful information to assist the hospice team with drug selection. The relative cost per patient day information helps guide prescribing towards cost effective choices, when appropriate.

Many drugs are referenced as **MST**, or *Multi-Symptom Therapy* drugs. These drugs are useful in the treatment of multiple symptoms and therefore will be listed in several sections of the tiered DBF. It is important to become familiar with the utility of the MST drugs for several reasons. If a drug is capable of accomplishing multiple symptom management goals, then it should be utilized in order to reduce the number of medications that the patient must take or have available in the home for anticipated symptoms (*e.g. haloperidol for nausea and vomiting may also be used if the patient develops agitation or delirium*). In order to prevent duplication of therapy, it is important to discontinue certain existing medications if a MST drug can replace their therapeutic effect. This reduces the potential for adverse drug reactions associated with polypharmacy (*e.g. discontinue megestrol for appetite if prednisone is initiated for bone pain or respiratory symptoms*).

#### Sample Listing:

| BASE LIST                   |                        |                                       |                                                                                                                    |                             |
|-----------------------------|------------------------|---------------------------------------|--------------------------------------------------------------------------------------------------------------------|-----------------------------|
| GENERIC NAME                | BRAND NAME<br>EXAMPLES | SYMPTOM/INDICATION/<br>CLASSIFICATION | COMMENTS                                                                                                           | RELATIVE<br>COST PER<br>DAY |
| <b>AGITATION/DELIRIUM</b>   |                        |                                       |                                                                                                                    |                             |
| <b>First line treatment</b> |                        |                                       |                                                                                                                    |                             |
| Haloperidol                 | Haldol                 | Agitation-Typical<br>Antipsychotic    | <b>MST:</b> Butyrophenone:<br>Avoid doses of > 2mg/day<br>in LTCF patients                                         | ¢                           |
| Chlorpromazine              | Thorazine              | Agitation-Typical<br>Antipsychotic    | <b>MST:</b> Phenothiazine:<br>Sedating, can cause<br>orthostatic hypotension-<br>Avoid doses > 75mg/day in<br>LTCF | \$                          |

## ***Formulary Exceptions***

When a patient is enrolled in HospiScript, all the medication on the Base List and any additional medications that fall under the Diagnosis Specific Category are automatically system supported allowing these medications to be filled at the pharmacy and billed to the hospice.

**You will need to contact HospiScript with any formulary exceptions.** For example, if you need to add any non-formulary medications or block any formulary medications so that medications will be billed to the appropriate payer.

### **Blocking Unrelated Formulary Medications:**

- If medications that are listed on the Base or Diagnosis Specific Category Lists (DBF) are not related to a patient's terminal diagnosis, the hospice must contact HospiScript to inform them that those medications are not covered under the terminal diagnosis (e.g. blocking the Base Formulary drug, furosemide, for the treatment of hypertension for a patient who is on hospice for end-stage dementia).

### **Adding Non-Formulary Medications Related to the Terminal Diagnosis:**

- HospiScript must also be notified by an authorized representative of the hospice if a medication that is not on the Base or Diagnosis Specific Category Lists (DBF) is to be paid for by hospice.
  - o This includes medications that are under a different disease state than the patient's designated diagnosis (e.g. adding risperidal which is not on the Base or Cardiac add on formulary, for a cardiac patient).

The HospiScript Diagnosis Based Formulary (DBF) is a tool and is not intended to be a barrier to providing timely, high quality patient care. We hope you find this information helpful. For more in-depth information and algorithms on symptom management, refer to our **GEMS** (*Guidelines for the Effective Management of Symptoms*) available in the client exclusive section of our website, [www.hospiscript.com](http://www.hospiscript.com).

## ***Abbreviations Key***

|      |                                                |
|------|------------------------------------------------|
| DBF  | Diagnosis Based Formulary                      |
| GEMS | Guide for the Effective Management of Symptoms |
| MST  | Multi-Symptom Therapy                          |
| LTCF | Long term care facility                        |
| SSRI | Selective serotonin reuptake inhibitor         |
| OTC  | Over the counter                               |
| SC   | Subcutaneous                                   |
| TCA  | Tricyclic Antidepressant                       |
| BID  | Two times a day                                |
| PRN  | As needed                                      |
| COPD | Chronic obstructive pulmonary disease          |
| EPS  | Extrapyramidal symptoms                        |
| HP   | High potency                                   |



1-800-227-0848 www.hospiscript.com

## HOSPIScript DIAGNOSIS BASED FORMULARY - TIERED

The Hospiscript Diagnosis Formulary is made up of two components. The Base List includes medications that manage symptoms common to all diagnoses, while the Diagnosis Specific Category medications are used to manage conditions of a particular disease. Together, these two lists represent the formulary for each terminal diagnosis.

The medications on the base list were selected to manage the following symptoms:

|                         |                        |                            |                            |  |
|-------------------------|------------------------|----------------------------|----------------------------|--|
| <b>Agitation</b>        | <b>Dry eyes</b>        | <b>Gastrointestinal</b>    | <b>Pain-Nociceptive</b>    |  |
| <b>Anorexia</b>         | <b>Dry mouth</b>       | <b>Hiccups</b>             | <b>Potassium depletion</b> |  |
| <b>Anxiety</b>          | <b>Dry skin</b>        | <b>Infection</b>           | <b>Pruritus</b>            |  |
| <b>Chest congestion</b> | <b>Dysphagia</b>       | <b>Insomnia</b>            | <b>Skin irritation</b>     |  |
| <b>Constipation</b>     | <b>Dyspnea</b>         | <b>Muscle spasms</b>       | <b>Terminal secretions</b> |  |
| <b>Cough</b>            | <b>Dysuria</b>         | <b>Nausea and Vomiting</b> | <b>Topical infections</b>  |  |
| <b>Delirium</b>         | <b>Fatigue</b>         | <b>Oral candidiasis</b>    |                            |  |
| <b>Depression</b>       | <b>Fever</b>           | <b>Pain-Bone</b>           |                            |  |
| <b>Diarrhea</b>         | <b>Fluid retention</b> | <b>Pain-Neuropathic</b>    |                            |  |

### BASE LIST

| GENERIC NAME | BRAND NAME EXAMPLES | SYMPTOM/INDICATION/<br>CLASSIFICATION | COMMENTS | RELATIVE<br>COST PER DAY |
|--------------|---------------------|---------------------------------------|----------|--------------------------|
|--------------|---------------------|---------------------------------------|----------|--------------------------|

### AGITATION/DELIRIUM

#### First line treatment

|                |           |                                 |                                                                                                       |    |
|----------------|-----------|---------------------------------|-------------------------------------------------------------------------------------------------------|----|
| Haloperidol    | Haldol    | Agitation-Typical Antipsychotic | <b>MST:</b> Butyrophenone: Avoid doses of > 2mg/day in LTCF patients                                  | ¢  |
| Chlorpromazine | Thorazine | Agitation-Typical Antipsychotic | <b>MST:</b> Phenothiazine: Sedating, can cause orthostatic hypotension-Avoid doses > 75mg/day in LTCF | \$ |
| Phenobarbital  | Luminal   | Agitation-Barbiturate           | <b>MST:</b> Used for it's sedating affects                                                            | ¢  |

### ANOREXIA

#### First line treatment

|               |           |                         |                                                                                           |    |
|---------------|-----------|-------------------------|-------------------------------------------------------------------------------------------|----|
| Prednisone    | Deltasone | Anorexia-Corticosteroid | <b>MST:</b> Most cost effective                                                           | ¢  |
| Dexamethasone | Decadron  | Anorexia-Corticosteroid | <b>MST:</b> More costly, less mineralocorticoid activity/fluid retention than prednisone. | \$ |

#### Second line treatment

|             |         |                         |                                                                                                    |    |
|-------------|---------|-------------------------|----------------------------------------------------------------------------------------------------|----|
| Mirtazapine | Remeron | Anorexia-Antidepressant | <b>MST:</b> Beneficial if patient needs antidepressant plus appetite stimulation and have insomnia | \$ |
|-------------|---------|-------------------------|----------------------------------------------------------------------------------------------------|----|

### ANXIETY

#### First line treatment

|                       |          |                        |                                                                                                      |    |
|-----------------------|----------|------------------------|------------------------------------------------------------------------------------------------------|----|
| Lorazepam             | Ativan   | Anxiety-Benzodiazepine | <b>MST:</b> Tablets                                                                                  | \$ |
| Alprazolam            | Xanax    | Anxiety-Benzodiazepine | <b>MST:</b> Tablets                                                                                  | \$ |
| Diazepam (No Diastat) | Valium   | Anxiety-Benzodiazepine | <b>MST:</b> Long half-life-dose no more frequently than q8h and avoid in geriatrics unless bed bound | \$ |
| Clonazepam            | Klonopin | Anxiety-Benzodiazepine | Also beneficial for seizure prevention                                                               | \$ |

#### Second line treatment

|                                  |                    |                        |                                                                                |        |
|----------------------------------|--------------------|------------------------|--------------------------------------------------------------------------------|--------|
| Diazepam Concentrated Oral Soln  | Diazepam Intensol  | Anxiety-Benzodiazepine | <b>MST:</b> Intensol expensive-tablets are well absorbed sublingually/rectally | \$\$\$ |
| Lorazepam Concentrated Oral Soln | Lorazepam Intensol | Anxiety-Benzodiazepine | <b>MST:</b> Intensol expensive-tablets are well absorbed sublingually/rectally | \$\$\$ |

| GENERIC NAME                     | BRAND NAME EXAMPLES | SYMPTOM/INDICATION/<br>CLASSIFICATION             | COMMENTS                                                                                                                                            | RELATIVE<br>COST PER DAY |
|----------------------------------|---------------------|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| <b>Third line treatment</b>      |                     |                                                   |                                                                                                                                                     |                          |
| Diphenhydramine                  | Benadryl            | Anxiety-Antihistamine                             | <b>MST:</b> Use with caution in elderly                                                                                                             | ¢¢                       |
| Hydroxyzine                      | Atarax, Vistaril    | Anxiety-Antihistamine                             | <b>MST:</b> Use with caution in elderly                                                                                                             | \$                       |
| <b>HYPOKALEMIA</b>               |                     |                                                   |                                                                                                                                                     |                          |
| <b>First line treatment</b>      |                     |                                                   |                                                                                                                                                     |                          |
| Potassium Chloride               | KlorCon             | Cardiac-Potassium Supplement                      | Monitor potassium levels                                                                                                                            | ¢                        |
| <b>CONSTIPATION</b>              |                     |                                                   |                                                                                                                                                     |                          |
| <b>First line treatment</b>      |                     |                                                   |                                                                                                                                                     |                          |
| Docusate Sodium                  | Colace              | Constipation-Stool Softener                       | Not sufficient as a sole agent in patients on opioids or who do not have adequate fluid intake                                                      | ¢¢                       |
| Senna/Docusate Sodium            | Senokot S           | Constipation-Stimulant and Softner Combination    | Maximize dose before adding additional agents (8 tabs/day)                                                                                          | ¢¢                       |
| Senna                            | Senokot             | Constipation-Stimulant Laxative                   | Maximize dose before adding additional agents (8 tabs/day)                                                                                          | ¢                        |
| Bisacodyl                        | Dulcolax            | Constipation-Stimulant Laxative                   | Maximize dose before adding additional agents (4 tabs/day)                                                                                          | \$                       |
| Magnesium Citrate                | Mag-Citrate         | Constipation-Osmotic Laxative                     | Saline Laxative                                                                                                                                     | ¢¢                       |
| Magnesium Hydroxide Suspension   | Milk of Magnesia    | Constipation-Osmotic Laxative                     | Saline Laxative                                                                                                                                     | ¢                        |
| <b>Second line treatment</b>     |                     |                                                   |                                                                                                                                                     |                          |
| Sorbitol 70% Soln                | Sorbitol            | Constipation-Osmotic Laxative                     | More cost effective than lactulose and as effective. Not sufficient as a sole agent in patients on opioids or who do not have adequate fluid intake | \$                       |
| Glycerin Suppository             |                     | Constipation-Osmotic Laxative                     |                                                                                                                                                     | \$                       |
| Mineral Oil Enema                |                     | Constipation-Lubricant                            | Don't use oral mineral oil- aspiration risk. Try Vaseline balls if high impaction present                                                           | \$\$                     |
| Sodium Phosphate Enema           | Fleet Enema         | Constipation-Osmotic Laxative                     | Saline Laxative                                                                                                                                     | \$                       |
| <b>COUGH</b>                     |                     |                                                   |                                                                                                                                                     |                          |
| <b>First line treatment</b>      |                     |                                                   |                                                                                                                                                     |                          |
| Guaifenesin Liq                  | Robitussin          | Cough-Expectorant                                 | Encourage fluid intake                                                                                                                              | ¢¢                       |
| Guaifenesin SR                   | Mucinex             | Cough-Expectorant                                 | Encourage fluid intake                                                                                                                              | ¢¢                       |
| Hydrocodone/Homatropine Syrup    | Hycodan             | Cough-Expectorant/Suppressant                     | Expectorant/Cough Suppressant/Drying agent                                                                                                          | \$\$\$\$                 |
| Guaifenesin/Dextromethorphan Liq | Robitussin DM       | Cough-Expectorant/Suppressant                     |                                                                                                                                                     | \$\$                     |
| Guaifenesin/Codeine Liq          | Robitussin AC       | Cough-Expectorant/Suppressant                     | Schedule V controlled substance                                                                                                                     | \$\$                     |
| <b>Second line treatment</b>     |                     |                                                   |                                                                                                                                                     |                          |
| Benzonatate                      | Tessalon Perles     | Cough-Suppressant                                 | Do not open or puncture capsules                                                                                                                    | \$\$\$                   |
| Lidocaine Inj for Nebulization   | Xylocaine           | Cough-Suppressant                                 | Do not use lidocaine with epinephrine                                                                                                               | \$\$\$                   |
| <b>DEPRESSION</b>                |                     |                                                   |                                                                                                                                                     |                          |
| <b>First line treatment</b>      |                     |                                                   |                                                                                                                                                     |                          |
| Methylphenidate                  | Ritalin             | Depression-Psychostimulant                        | <b>MST:</b> Drug of choice if patient has < 4-6 weeks life expectancy                                                                               | \$                       |
| Fluoxetine                       | Prozac              | Depression-Selective Serotonin Reuptake Inhibitor | Least expensive SSRI: No significant withdrawal symptoms when discontinued abruptly                                                                 | \$                       |
| Citalopram                       | Celexa              | Depression-Selective Serotonin Reuptake Inhibitor | Good choice for depression accompanied by anxiety                                                                                                   | \$\$                     |
| Sertraline                       | Zoloft              | Depression-Selective Serotonin Reuptake Inhibitor | Good choice for depression accompanied by anxiety                                                                                                   | \$\$                     |
| <b>Second line treatment</b>     |                     |                                                   |                                                                                                                                                     |                          |
| Mirtazapine                      | Remeron             | Depression-Atypical                               | <b>MST:</b> Sedating and increases appetite in doses of 7.5 and 15mg                                                                                | \$                       |
| Escitalopram                     | Lexapro             | Depression-Selective Serotonin Reuptake Inhibitor | Use citalopram as first line                                                                                                                        | \$\$                     |

| GENERIC NAME                     | BRAND NAME EXAMPLES | SYMPTOM/INDICATION/<br>CLASSIFICATION      | COMMENTS                                                                                                                                   | RELATIVE<br>COST PER DAY |
|----------------------------------|---------------------|--------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| <b>DIARRHEA</b>                  |                     |                                            |                                                                                                                                            |                          |
| <b>First line treatment</b>      |                     |                                            |                                                                                                                                            |                          |
| Bismuth Subsalicylate            | Kaopectate          | Diarrhea-Absorbent                         |                                                                                                                                            | \$                       |
| Loperamide                       | Imodium             | Diarrhea-Hypermotility                     | Can get OTC                                                                                                                                | \$                       |
| Diphenoxylate/Atropine           | Lomotil             | Diarrhea-Hypermotility                     | Prescription only                                                                                                                          | \$\$                     |
| Psyllium                         | Metamucil           | Diarrhea-Absorbent-Bulk Laxative           | For bulking stool                                                                                                                          | ¢                        |
| <b>DRY EYES</b>                  |                     |                                            |                                                                                                                                            |                          |
| <b>First line treatment</b>      |                     |                                            |                                                                                                                                            |                          |
| Artificial Tears                 | Lytears             | Dry Eyes-Lubricant                         |                                                                                                                                            | \$                       |
| Ophthalmic Lubricant             | Lacrilube           | Dry Eyes – Lubricant                       |                                                                                                                                            | \$                       |
| <b>DYSPHAGIA</b>                 |                     |                                            |                                                                                                                                            |                          |
| <b>First line treatment</b>      |                     |                                            |                                                                                                                                            |                          |
| Thickening Agent                 | Thick-it            | Dysphagia                                  |                                                                                                                                            | ¢¢                       |
| <b>DYSPNEA</b>                   |                     |                                            |                                                                                                                                            |                          |
| <b>First line treatment</b>      |                     |                                            |                                                                                                                                            |                          |
| Morphine IR                      | Roxanol, MSIR       | Dyspnea-Opioid                             | <b>MST:</b> Start with low doses (2.5-5mg)                                                                                                 | \$                       |
| Lorazepam                        | Ativan              | Dyspnea-Benzodiazepine                     | <b>MST:</b> Treats anxiety component of dyspnea                                                                                            | \$                       |
| Alprazolam                       | Xanax               | Dyspnea-Benzodiazepine                     | <b>MST:</b> Treats anxiety component of dyspnea                                                                                            | \$                       |
| Diazepam (No Diastat)            | Valium              | Dyspnea-Benzodiazepine                     | <b>MST:</b> Treats anxiety component of dyspnea. Long half-life-dose no more frequently than q8h and avoid in geriatrics unless bed bound. | \$                       |
| <b>Second line treatment</b>     |                     |                                            |                                                                                                                                            |                          |
| Oxycodone                        | Oxyfast             | Dyspnea-Opioid                             | <b>MST:</b> More expensive than morphine                                                                                                   | \$\$                     |
| Hydromorphone                    | Dilaudid            | Dyspnea-Opioid                             | HP injectable expensive but good choice for SC since it is potent based on mg/ml                                                           | \$\$                     |
| Diazepam Concentrated Oral Soln  | Diazepam Intensol   | Dyspnea-Benzodiazepine                     | <b>MST:</b> Expensive-tablets are well absorbed sublingually/rectally                                                                      | \$\$\$                   |
| Lorazepam Concentrated Oral Soln | Lorazepam Intensol  | Dyspnea-Benzodiazepine                     | <b>MST:</b> Expensive-tablets are well absorbed sublingually/rectally                                                                      | \$\$\$                   |
| <b>FATIGUE</b>                   |                     |                                            |                                                                                                                                            |                          |
| <b>First line treatment</b>      |                     |                                            |                                                                                                                                            |                          |
| Methylphenidate                  | Ritalin             | Fatigue-Psychostimulant                    | <b>MST:</b> Effect usually short term                                                                                                      | \$                       |
| Prednisone                       | Deltasone           | Fatigue-Corticosteroid                     | <b>MST:</b> Multiple therapeutic actions                                                                                                   | ¢                        |
| <b>Second line treatment</b>     |                     |                                            |                                                                                                                                            |                          |
| Dexamethasone                    | Decadron            | Fatigue-Corticosteroid                     | <b>MST:</b> Multiple therapeutic actions                                                                                                   | \$                       |
| <b>FEVER</b>                     |                     |                                            |                                                                                                                                            |                          |
| <b>First line treatment</b>      |                     |                                            |                                                                                                                                            |                          |
| Acetaminophen                    | Tylenol             | Fever                                      | <b>MST:</b> Maximum dose = 4 gms/24hrs                                                                                                     | ¢                        |
| Ibuprofen                        | Motrin              | Fever-Nonsteroidal Anti-Inflammatory Drug  | <b>MST:</b> Maximum dose = 3200 mgs/24hrs                                                                                                  | ¢                        |
| <b>FLUID RETENTION</b>           |                     |                                            |                                                                                                                                            |                          |
| <b>First line treatment</b>      |                     |                                            |                                                                                                                                            |                          |
| Furosemide                       | Lasix               | Fluid Retention-Loop Diuretic              | Oral absorption less than bumetanide especially in fluid overload; Monitor for hypokalemia                                                 | ¢                        |
| <b>Second line treatment</b>     |                     |                                            |                                                                                                                                            |                          |
| Spironolactone                   | Aldactone           | Fluid Retention-Potassium Sparing Diuretic | May cause hyperkalemia                                                                                                                     | ¢¢                       |
| Metolazone                       | Zaroxolyn           | Fluid Retention-Thiazide Diuretic          | Adjunct to loop diuretics. Monitor for hypo+A154kalemia                                                                                    | \$\$                     |

| GENERIC NAME                             | BRAND NAME EXAMPLES | SYMPTOM/INDICATION/<br>CLASSIFICATION        | COMMENTS                                                        | RELATIVE<br>COST PER DAY |
|------------------------------------------|---------------------|----------------------------------------------|-----------------------------------------------------------------|--------------------------|
| <b>GASTROINTESTINAL</b>                  |                     |                                              |                                                                 |                          |
| <i>First line treatment</i>              |                     |                                              |                                                                 |                          |
| Aluminum/Magnesium Hydroxide             | Maalox, Mylanta     | Gastrointestinal-Antacid                     | For prn use. Can cause rebound acid production with chronic use | ¢¢                       |
| Aluminum/Magnesium Hydroxide/Simethicone | Maalox Plus         | Gastrointestinal-Antacid                     | For prn use. Can cause rebound acid production with chronic use | ¢¢                       |
| Omeprazole OTC                           | Prilosec OTC        | Gastrointestinal-Proton Pump Inhibitor       | If using local pharmacy, use OTC omeprazole only- not RX        | \$                       |
| Famotidine (No Oral Liq)                 | Pepcid              | Gastrointestinal-H2 Antagonist               | Can cause confusion in elderly                                  | \$                       |
| Ranitidine (No Oral Liq)                 | Zantac              | Gastrointestinal-H2 Antagonist               | Can cause confusion in elderly                                  | \$                       |
| Simethicone                              | Mylicon             | Gastrointestinal-Gas                         | For gas                                                         | ¢                        |
| <i>Second line treatment</i>             |                     |                                              |                                                                 |                          |
| Sucralfate                               | Carafate            | Gastrointestinal-Protectant                  | Take other medication 1 hour before sucralfate                  | \$                       |
| <b>GENITOURINARY</b>                     |                     |                                              |                                                                 |                          |
| <i>First line treatment</i>              |                     |                                              |                                                                 |                          |
| Hyoscyamine                              | Levsin              | Genitourinary-Bladder Spasms-Anticholinergic | MST                                                             | ¢¢                       |
| <i>Second line treatment</i>             |                     |                                              |                                                                 |                          |
| Bethanechol                              | Urecholine          | Genitourinary-Urinary Retention-Cholinergic  | For urinary retension                                           | \$\$\$                   |
| Oxybutynin IR                            | Ditropan            | Genitourinary-Bladder Spasms-Anticholinergic | For urinary frequency or spasms: Use immediate release form     | \$\$\$                   |
| Phenazopyridine                          | Pyridium            | Genitourinary-Urinary Analgesic              | Urinary analgesic: Use for a maximum of 3 days                  | ¢¢                       |
| <b>HICCUPS</b>                           |                     |                                              |                                                                 |                          |
| <i>First line treatment</i>              |                     |                                              |                                                                 |                          |
| Baclofen                                 | Lioresal            | Hiccups-Muscle Relaxant                      | Antispasmodic: best evidence based choice                       | \$                       |
| Haloperidol                              | Haloperidol         | Hiccups-Antipsychotic                        | Butyrophenone: Avoid doses of > 2mg/day in LTCF patients        | ¢                        |
| Chlorpromazine                           | Thorazine           | Hiccups- Antipsychotic                       | Phenothiazine Antipsychotic: Avoid doses > 75mg/day in LTCF     | \$                       |
| Metoclopramide                           | Reglan              | Hiccups-Prokinetic                           | Promotility agent                                               | \$\$                     |
| <b>INFECTION-BACTERIAL</b>               |                     |                                              |                                                                 |                          |
| <i>First line treatment</i>              |                     |                                              |                                                                 |                          |
| Amoxicillin                              | Amoxil              | Infection-Bacterial                          | Penicillin                                                      | ¢¢                       |
| Cephalexin                               | Keflex              | Infection-Bacterial                          | Cephalosporin                                                   | \$                       |
| Doxycycline                              | Vibramycin          | Infection-Bacterial                          | Tetracycline                                                    | \$                       |
| Erythromycin                             | E-Mycin, Erytab     | Infection-Bacterial                          | Macrolide                                                       | \$                       |
| Metronidazole                            | Flagyl              | Infection-Bacterial                          | Miscellaneous                                                   | \$                       |
| Sulfamethoxazole/Trimethoprim            | Bactrim DS          | Infection-Bacterial                          | Sulfonamide                                                     | ¢¢                       |
| <i>Second line treatment</i>             |                     |                                              |                                                                 |                          |
| Ciprofloxacin                            | Cipro               | Infection-Bacterial                          | Fluoroquinolone                                                 | \$\$\$\$                 |
| Azithromycin                             | Zithromax           | Infection-Bacterial                          | Macrolide                                                       | \$\$\$\$                 |
| Nitrofurantoin                           | Macrochantin        | Infection-Bacterial                          | Miscellaneous                                                   | \$\$\$                   |
| <i>Third line treatment</i>              |                     |                                              |                                                                 |                          |
| Levofloxacin                             | Levaquin            | Infection-Bacterial                          | Fluoroquinolone                                                 | \$\$\$\$\$               |
| <b>INFECTION-FUNGAL</b>                  |                     |                                              |                                                                 |                          |
| <i>First line treatment</i>              |                     |                                              |                                                                 |                          |
| Nystatin Oral Suspension                 | Mycostatin          | Infection-Fungal                             | No systemic absorption                                          | \$\$                     |
| <i>Second line treatment</i>             |                     |                                              |                                                                 |                          |
| Fluconazole                              | Diflucan            | Infection-Fungal                             | Multiple drug interactions                                      | \$\$\$\$                 |
| <b>INFECTION-VIRAL</b>                   |                     |                                              |                                                                 |                          |
| <i>First line treatment</i>              |                     |                                              |                                                                 |                          |
| Acyclovir                                | Zovirax (Oral Only) | Infection-Viral                              | Only oral form-topical is nonformulary                          | \$\$\$                   |

| GENERIC NAME                    | BRAND NAME EXAMPLES | SYMPTOM/INDICATION/<br>CLASSIFICATION            | COMMENTS                                                                                                                                                                      | RELATIVE<br>COST PER DAY |
|---------------------------------|---------------------|--------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| <b>INSOMNIA</b>                 |                     |                                                  |                                                                                                                                                                               |                          |
| <b>First line treatment</b>     |                     |                                                  |                                                                                                                                                                               |                          |
| Temazepam                       | Restoril            | Insomnia-Benzodiazepine                          | <i>Excluding 7.5 &amp; 22.5 mg strength</i>                                                                                                                                   | ¢                        |
| Trazodone                       | Desyrel             | Insomnia-Antidepressant                          | Atypical antidepressant                                                                                                                                                       | ¢                        |
| <b>Second line treatment</b>    |                     |                                                  |                                                                                                                                                                               |                          |
| Lorazepam                       | Ativan              | Insomnia-Benzodiazepine                          | Short duration of action                                                                                                                                                      | \$                       |
| Alprazolam                      | Xanax               | Insomnia-Benzodiazepine                          | Short duration of action                                                                                                                                                      | \$                       |
| Diphenhydramine                 | Benadryl            | Insomnia-Anticholinergic                         | Avoid in the elderly                                                                                                                                                          | ¢¢                       |
| Mirtazapine                     | Remeron             | Insomnia-Antidepressant                          | <b>MST:</b> Atypical antidepressant: Sedating in doses < 30mg. Beneficial if patient is also depressed.                                                                       | \$                       |
| Chloral Hydrate                 | Somnote             | Insomnia-Hypnotic,<br>Nonbenzodiazepine          |                                                                                                                                                                               | ¢¢                       |
| <b>MUSCLE SPASM</b>             |                     |                                                  |                                                                                                                                                                               |                          |
| <b>First line treatment</b>     |                     |                                                  |                                                                                                                                                                               |                          |
| Diazepam ( <i>No Diastat</i> )  | Valium              | Muscle Spasm-Benzodiazepine                      | Long half-life-dose no more frequently than q8h and avoid in geriatrics unless bed bound.                                                                                     | \$                       |
| <b>Second line treatment</b>    |                     |                                                  |                                                                                                                                                                               |                          |
| Baclofen                        | Lioresal            | Muscle Spasm-Skeletal Muscle Relaxant            | For muscle spasticity                                                                                                                                                         | \$                       |
| Diazepam Concentrated Oral Soln | Diazepam Intensol   | Muscle Spasm-Benzodiazepine                      | Intensol expensive-tablets are well absorbed sublingually/rectally                                                                                                            | \$\$\$                   |
| <b>NAUSEA &amp; VOMITING</b>    |                     |                                                  |                                                                                                                                                                               |                          |
| <b>First line treatment</b>     |                     |                                                  |                                                                                                                                                                               |                          |
| Haloperidol                     | Haldol              | Nausea & Vomiting:<br>Chemoreceptor Trigger Zone | <b>MST:</b> Butyrophenone: Less sedating than other antiemetics, can use tablets or liquid PO/SL/PR. Multiple uses for haloperidol. Avoid doses of > 2mg/day in LTCF patients | ¢                        |
| Prochlorperazine                | Compazine           | Nausea & Vomiting:<br>Chemoreceptor Trigger Zone | Phenothiazine: More sedating, less versatile and less cost effective than haloperidol                                                                                         | \$                       |
| Metoclopramide                  | Reglan              | Nausea & Vomiting-Gastric Stasis                 | Promotility Agent: Drug of choice for gastric stasis                                                                                                                          | \$\$                     |
| Lorazepam                       | Ativan              | Nausea & Vomiting-Anxiety                        | <b>MST:</b> Benzodiazepine: For anxiety induced nausea                                                                                                                        | \$                       |
| Meclizine                       | Antivert            | Nausea & Vomiting, Secretions                    | Antihistamine: For movement induced nausea                                                                                                                                    | ¢¢                       |
| <b>Second line treatment</b>    |                     |                                                  |                                                                                                                                                                               |                          |
| Chlorpromazine                  | Thorazine           | Nausea & Vomiting-<br>Chemoreceptor Trigger Zone | <b>MST:</b> Phenothiazine: More sedating than haloperidol. Avoid doses of > 75mg/day in LTCF patients                                                                         | \$                       |
| Promethazine                    | Phenergan           | Nausea & Vomiting-<br>Chemoreceptor Trigger Zone | More sedating and much less effective than haloperidol. Suppositories expensive                                                                                               | \$                       |
| Hyoscyamine                     | Levsin              | Nausea & Vomiting-Antispasmodic                  | <b>MST:</b> Anticholinergic: For gastric colic; constipating                                                                                                                  | ¢¢                       |
| Alprazolam                      | Xanax               | Nausea & Vomiting-Anxiety                        | <b>MST:</b> Benzodiazepine: For anxiety induced nausea                                                                                                                        | \$                       |
| Diazepam ( <i>No Diastat</i> )  | Valium              | Nausea & Vomiting-Anxiety                        | <b>MST:</b> Benzodiazepine:Treats anxiety component of dyspnea. Long half-life-dose no more frequently than q8h and avoid in geriatrics unless bed bound.                     | \$                       |

| GENERIC NAME                     | BRAND NAME EXAMPLES  | SYMPTOM/INDICATION/<br>CLASSIFICATION     | COMMENTS                                                                                            | RELATIVE<br>COST PER DAY |
|----------------------------------|----------------------|-------------------------------------------|-----------------------------------------------------------------------------------------------------|--------------------------|
| <b>Third line treatment</b>      |                      |                                           |                                                                                                     |                          |
| Erythromycin                     | E-Mycin, Erytab      | Nausea & Vomiting-Gastric Stasis          | Macrolide Antibiotic: If patient can't tolerate metoclopramide for gastric stasis                   | \$                       |
| Glycopyrrolate injection         | Robinul              | Nausea & Vomiting-Antispasmodic           | <b>MST:</b> Tablets very expensive                                                                  | \$\$\$                   |
| Diazepam Concentrated Oral Soln  | Diazepam Intensol    | Nausea & Vomiting-Anxiety                 | <b>MST:</b> Benzodiazepine:Expensive-tablets are well absorbed sublingually/rectally                | \$\$\$                   |
| Lorazepam Concentrated Oral Soln | Lorazepam Intensol   | Nausea & Vomiting-Anxiety                 | <b>MST:</b> Benzodiazepine:Expensive-tablets are well absorbed sublingually/rectally                | \$\$\$                   |
| Scopolamine Patch                | Transderm Scop       | Nausea & Vomiting, Secretions             | <b>MST:</b> Anticholinergic: For movement induced nausea. Constipating; onset of action about 4 hrs | \$\$\$                   |
| <b>NEUROPATHIC PAIN</b>          |                      |                                           |                                                                                                     |                          |
| <b>First line treatment</b>      |                      |                                           |                                                                                                     |                          |
| Methadone                        | Dolophine, Methadose | Neuropathic Pain-Opioid                   | <b>MST:</b> 1st line when opioid and neuropathic analgesic required                                 | ¢¢                       |
| Desipramine                      | Norpramin            | Neuropathic pain-Tricyclic Antidepressant | Less severe side effects than amitriptyline                                                         | ¢                        |
| Nortriptyline                    | Pamelor              | Neuropathic pain-Tricyclic Antidepressant | Less severe side effects than amitriptyline                                                         | ¢                        |
| Gabapentin                       | Neurontin            | Neuropathic Pain-Antiepileptic            | Anticonvulsant of choice for neuropathic pain                                                       | \$\$\$                   |
| <b>Second line treatment</b>     |                      |                                           |                                                                                                     |                          |
| Divalproex Sodium/Valproic Acid  | Depakote/Depakene    | Neuropathic Pain-Antiepileptic            | <b>MST:</b> Good for behavior management also                                                       | \$\$\$                   |
| Doxepin                          | Sinequan             | Neuropathic pain-Tricyclic Antidepressant | <b>MST:</b> Sedating                                                                                | ¢                        |
| <b>Third line treatment</b>      |                      |                                           |                                                                                                     |                          |
| Amitriptyline                    | Elavil               | Neuropathic pain-Tricyclic Antidepressant | Most severe side effects of TCAs                                                                    | ¢                        |
| Carbamazepine                    | Tegretol             | Neuropathic Pain-Antiepileptic            | <b>MST:</b> IR form is well absorbed rectally                                                       | ¢¢                       |
| Pregabalin                       | Lyrica               | Neuropathic Pain-Antiepileptic            | Onset of action quicker than gabapentin- more expensive in lower doses                              | \$\$\$                   |
| <b>PAIN</b>                      |                      |                                           |                                                                                                     |                          |
| <b>First line treatment</b>      |                      |                                           |                                                                                                     |                          |
| Acetaminophen                    | Tylenol              | Pain                                      | <b>MST:</b> Maximum 4gms of acetaminophen/day                                                       | ¢                        |
| Ibuprofen                        | Motrin               | Pain-Nonsteroidal Anti-Inflammatory Drug  | <b>MST:</b> Maximum daily dose = 3200mg                                                             | ¢                        |
| Naproxen                         | Naprosyn             | Pain-Nonsteroidal Anti-Inflammatory Drug  | Maximum daily dose = 1500mg                                                                         | ¢¢                       |
| Hydrocodone/Acetaminophen        | Lortab, Vicodin      | Nociceptive Pain-Combination Product      | Watch acetaminophen content: maximum 4gms/24hrs                                                     | \$\$                     |
| Oxycodone/Acetaminophen          | Percocet             | Nociceptive Pain-Combination Product      | Watch acetaminophen content: maximum 4gms/24hrs                                                     | \$\$                     |
| Morphine                         | Roxanol, MS Contin   | Pain-Opioid                               | <b>MST:</b> Start with low doses (2.5-5mg)                                                          | ¢¢-\$\$\$                |
| Methadone                        | Dolophine, Methadose | Pain-Opioid                               | <b>MST:</b> Immediate release opioid with long half life                                            | ¢¢                       |
| Lidocaine Oral                   | Xylocaine Viscous    | Pain-Pharyngeal                           | Watch for aspiration; wait 30 minutes before eating or                                              | \$                       |

| GENERIC NAME                                         | BRAND NAME EXAMPLES | SYMPTOM/INDICATION/<br>CLASSIFICATION        | COMMENTS                                                                                          | RELATIVE<br>COST PER DAY |
|------------------------------------------------------|---------------------|----------------------------------------------|---------------------------------------------------------------------------------------------------|--------------------------|
| <b>Second line treatment</b>                         |                     |                                              |                                                                                                   |                          |
| Choline Magnesium Trisalicylate                      | Trilisate           | Pain-Salicylate anti-inflammatory            | Less platelet inhibition than traditional NSAIDs                                                  | \$\$                     |
| Prednisone                                           | Deltasone           | Pain-Corticosteroid anti-inflammatory        | <b>MST:</b> Less expensive than dexamethasone                                                     | ¢                        |
| Dexamethasone                                        | Decadron            | Pain-Corticosteroid anti-inflammatory        | <b>MST:</b> Less mineralocorticoid activity than prednisone                                       | \$                       |
| Oxycodone IR<br>(No Sustained Release)               | Roxicodone          | Pain-Opioid                                  | <b>MST:</b> Immediate release opioid: More expensive than morphine                                | \$                       |
| Hydromorphone                                        | Dilaudid            | Pain-Opioid                                  | <b>MST:</b> Immediate release opioid                                                              | \$\$                     |
| <b>Third line treatment</b>                          |                     |                                              |                                                                                                   |                          |
| Indomethacin                                         | Indocin             | Pain-Nonsteroidal Anti-Inflammatory Drug     | <b>MST:</b> Causes significant gastric irritating                                                 | ¢¢                       |
| Propoxyphene/Acetaminophen                           | Darvocet N-100      | Nociceptive Pain-Combination Product         | Opioid/non-opioid combination: Weak opioid-watch acetaminophen content                            | \$\$                     |
| Oxycodone SR<br>(Nonformulary Requires Prior Auth)   | OxyContin           | Pain-Opioid                                  | Expensive: (Nonformulary Requires Prior Authorization)                                            | \$\$\$\$                 |
| Fentanyl Patch<br>(Nonformulary Requires Prior Auth) | Duragesic           | Pain-Opioid                                  | Expensive, variable absorption, difficult to titrate: (Nonformulary Requires Prior Authorization) | \$\$\$\$                 |
| <b>PARKINSONISM/EXTRAPYRAMIDAL SYMPTOMS</b>          |                     |                                              |                                                                                                   |                          |
| <b>First line treatment</b>                          |                     |                                              |                                                                                                   |                          |
| Diphenhydramine                                      | Benadryl            | EPS-Anticholinergic                          | <b>MST:</b> Avoid in the elderly                                                                  | ¢                        |
| Benztrapine                                          | Cogentin            | EPS-Anticholinergic                          | Avoid in the elderly                                                                              | ¢                        |
| <b>PRURITUS</b>                                      |                     |                                              |                                                                                                   |                          |
| <b>First line treatment</b>                          |                     |                                              |                                                                                                   |                          |
| Diphenhydramine                                      | Benadryl            | Pruritus-Antihistamine                       | <b>MST:</b> Sedating-avoid in the elderly                                                         | ¢                        |
| Hydroxyzine                                          | Atarax, Vistaril    | Pruritus-Antihistamine                       | <b>MST:</b> Sedating-avoid in the elderly                                                         | \$                       |
| Prednisone                                           | Deltasone           | Pruritus-Corticosteroid                      | <b>MST:</b> More cost effective than dexamethasone                                                | ¢                        |
| Dexamethasone                                        | Decadron            | Pruritus-Corticosteroid                      | <b>MST:</b> Less mineralocorticoid activity than prednisone                                       | \$                       |
| Doxepin                                              | Sinequan            | Pruritus-Tricyclic Antidepressant            | <b>MST:</b> Sedating-Dose daily or BID                                                            | ¢                        |
| <b>RESPIRATORY</b>                                   |                     |                                              |                                                                                                   |                          |
| <b>First line treatment</b>                          |                     |                                              |                                                                                                   |                          |
| Prednisone                                           | Deltasone           | Respiratory Anti-Inflammatory-Corticosteroid | More cost effective than dexamethasone                                                            | ¢                        |
| Dexamethasone                                        | Decadron            | Respiratory Anti-Inflammatory-Corticosteroid | <b>MST:</b> More expensive than prednisone but causes less fluid retention in high doses          | \$                       |
| Albuterol                                            | Proventil           | Beta Agonist Bronchodilator                  | Only for wheezing related to terminal diagnosis                                                   | \$\$                     |
| <b>Second line treatment</b>                         |                     |                                              |                                                                                                   |                          |
| Saline-Nebulized                                     | Saline-Nebulized    | Respiratory-Humidifier                       | Use PRN between bronchodilator doses. Thins secretions & moistens airways                         | \$                       |
| <b>SECRETIONS-DRYING AGENT</b>                       |                     |                                              |                                                                                                   |                          |
| <b>First line treatment</b>                          |                     |                                              |                                                                                                   |                          |
| Atropine 1% Ophthalmic Soln                          | Isopto Atropine     | Secretions-Anticholinergic                   | For sublingual use-NOT in the EYE                                                                 | ¢¢                       |
| <b>Second line treatment</b>                         |                     |                                              |                                                                                                   |                          |
| Hyoscyamine                                          | Levsin              | Secretions-Anticholinergic                   | <b>MST:</b> Liquid is expensive                                                                   | ¢¢                       |
| Glycopyrrolate injection                             | Robinul             | Secretions-Anticholinergic                   | <b>MST:</b> Does not cross blood-brain barrier. Oral dosage form expensive, injectable preferred  | \$\$\$                   |
| Scopolamine Patch                                    | Transderm Scop      | Secretions-Anticholinergic                   | <b>MST:</b> Only for long term anti-secretion                                                     | \$\$\$                   |

| GENERIC NAME                           | BRAND NAME EXAMPLES | SYMPTOM/INDICATION/<br>CLASSIFICATION       | COMMENTS                                                                              | RELATIVE<br>COST PER DAY |
|----------------------------------------|---------------------|---------------------------------------------|---------------------------------------------------------------------------------------|--------------------------|
| <b>SEIZURES</b>                        |                     |                                             |                                                                                       |                          |
| <b>First line treatment</b>            |                     |                                             |                                                                                       |                          |
| Lorazepam                              | Ativan              | Seizures-Maintenance and Abortive Treatment | <b>MST:</b> Benzodiazepine: For abortive therapy                                      | \$                       |
| Diazepam ( <i>No Diastat</i> )         | Valium              | Seizures-Maintenance and Abortive Treatment | <b>MST:</b> Benzodiazepine: For abortive therapy                                      | \$                       |
| Phenobarbital                          | Phenobarbital       | Seizures-Maintenance and Abortive Treatment | <b>MST:</b> Barbiturate: For maintenance seizure control                              | ¢                        |
| Clonazepam                             | Klonopin            | Seizures-Maintenance                        | <b>MST:</b> Benzodiazepine: For maintenance seizure control                           | \$                       |
| Phenytoin                              | Dilantin            | Seizures-Maintenance                        | Antiepileptic: For maintenance seizure control                                        | ¢¢                       |
| Valproic acid/Divalproex               | Depakote/Depakene   | Seizures-Maintenance                        | <b>MST:</b> Antiepileptic: For maintenance seizure control                            | \$\$\$                   |
| Carbamazepine                          | Tegretol            | Seizures-Maintenance                        | <b>MST:</b> Antiepileptic: For maintenance seizure control                            | ¢¢                       |
| Dexamethasone                          | Decadron            | Seizures-Maintenance                        | <b>MST:</b> Seizures due to intracranial pressure                                     | \$                       |
| <b>Second line treatment</b>           |                     |                                             |                                                                                       |                          |
| Lorazepam Concentrated Oral Soln       | Lorazepam Intensol  | Seizures-Maintenance and Abortive Treatment | <b>MST:</b> Benzodiazepine: Expensive-tablets are well absorbed sublingually/rectally | \$\$\$                   |
| Diazepam Concentrated Oral Soln        | Diazepam Intensol   | Seizures-Maintenance and Abortive Treatment | <b>MST:</b> Benzodiazepine: Expensive-tablets are well absorbed sublingually/rectally | \$\$\$                   |
| <b>TOPICAL</b>                         |                     |                                             |                                                                                       |                          |
| <b>First line treatment</b>            |                     |                                             |                                                                                       |                          |
| Emollient                              | Eucerin             | Topical-Emollient                           |                                                                                       | ¢¢                       |
| Vitamin A & D Cream                    | Sween               | Topical-Emollient                           | Skin barrier                                                                          | ¢¢                       |
| Camphor/Menthol Lotion                 | Sarna               | Topical-Antipruritic                        | Itching                                                                               | \$                       |
| Hydrocortisone Cream                   | Cortaid             | Topical-Corticosteroid                      | Rash, Itching                                                                         | ¢¢                       |
| Bacitracin                             |                     | Topical-Anti-infective                      | Antibiotic                                                                            | ¢                        |
| Neomycin/Polymyxin/Bacitracin Ointment | Neosporin           | Topical-Anti-infective                      | Antibiotic                                                                            | ¢¢                       |
| Nystatin                               | Mycostatin          | Topical Antifungal                          |                                                                                       | ¢                        |
| Myconazole Cream, Powder               | Baza, Zeasorb AF    | Topical Antifungal                          |                                                                                       | ¢                        |
| Nystatin/Triamcinolone Cream           | Mycolog             | Topical-Antifungal/Corticosteroid           |                                                                                       | ¢¢                       |
| Thymol/Menthol/Ointment                | Calmoseptine        | Topical-Protectant                          |                                                                                       | ¢                        |
| Zinc Oxide Ointment                    | Desitin             | Topical-Protectant                          | Skin barrier                                                                          | ¢¢                       |
| Zinc Oxide + Dimethicone               | Baza Protect        | Topical-Protectant                          |                                                                                       | ¢¢                       |
| Lidocaine Ointment                     | Lidocaine Topical   | Topical-Analgesics                          | Local anesthetic: Localized pain                                                      | \$                       |
| <b>Second line treatment</b>           |                     |                                             |                                                                                       |                          |
| Silver Sulfadiazine Cream              | Silvadene           | Topical-Burn & Antibacterial                | Anti-infective                                                                        | \$                       |
| <b>XEROSTOMIA (Dry Mouth)</b>          |                     |                                             |                                                                                       |                          |
| <b>First line treatment</b>            |                     |                                             |                                                                                       |                          |
| Artificial Saliva                      | Salivart            | Xerostoma ( <i>dry mouth</i> )              |                                                                                       | ¢¢                       |
| <b>MISCELLANEOUS</b>                   |                     |                                             |                                                                                       |                          |
| Heparin                                | Heparin Lock flush  | Line Maintenance                            |                                                                                       | \$                       |
| Sodium Chloride 0.9%                   |                     | Injection, Irrigation, Nasal Spray          |                                                                                       | ¢¢                       |

#### Relative Cost Per Day Chart

¢ = <\$0.50

¢¢ = \$0.50-0.99

\$ = \$1.00-1.99

\$\$ = \$2.00-2.99

\$\$\$ = \$3.00- 4.99

\$\$\$\$ = \$5.00-9.99

\$\$\$\$\$ = \$10.00-20.00

**Please Note: Unless otherwise noted, all strengths and dosage forms of listed medications are covered on both the Base List and Diagnosis Specific Categories.**



## DIAGNOSIS SPECIFIC CATEGORIES - MEDICATION LIST

### Hospice Diagnoses

|                                                                    |
|--------------------------------------------------------------------|
| 10 = Cancer                                                        |
| 20 = Pulmonary                                                     |
| 30 = Heart Disease                                                 |
| 40 = Stroke/Coma                                                   |
| 50 = Liver Disease                                                 |
| 60 = Renal Disease                                                 |
| 70 = Neuromuscular Diseases (ALS, Parkinson's, etc)                |
| 80 = HIV-AIDS                                                      |
| 90 = Dementia                                                      |
| 95 = Unclassified Diagnoses/Debility Unspecified/Failure to Thrive |

| THERAPEUTIC CLASS                        | GENERIC NAME           | BRAND EXAMPLE                       | COMMENTS                                                   | RELATIVE COST PER DAY |
|------------------------------------------|------------------------|-------------------------------------|------------------------------------------------------------|-----------------------|
| <b>CANCER (10)</b>                       |                        |                                     |                                                            |                       |
| Anticoagulant                            | Warfarin               | Coumadin                            | Hypercoagulation due to cancer                             | ¢¢                    |
| Mineralocorticoids                       | Fludrocortisone        | Fludrocortisone                     | Orthostatic hypotension                                    | ¢¢                    |
| Pancreatic Enzymes                       | Pancrelipase           | Pancrease                           | Pancreatic cancer                                          | \$\$\$\$              |
| <b>PULMONARY DISEASE (20)</b>            |                        |                                     |                                                            |                       |
| Anticholinergics                         | Ipratropium            | Atrovent                            | Nebulizer more effective in late stage COPD                | \$                    |
|                                          | Tiotropium             | Spiriva                             | Nebulizer more effective in late stage COPD                | \$\$\$                |
| Beta Adrenergic Agonists                 | Salmeterol Xinafoate   | Serevent Diskus                     | Nebulizer more effective in late stage COPD                | \$\$\$                |
| Beta Adrenergic Agonist/Corticosteroid   | Salmeterol-Fluticasone | Advair                              | Consider changing to nebulized albuterol + oral prednisone | \$\$\$\$              |
| Beta Adrenergic Agonists/Anticholinergic | Albuterol-Ipratropium  | Combivent, Duo-Neb                  | Nebulizer more effective in late stage COPD                | \$\$\$                |
| Corticosteroids - Inhaled                | Beclomethasone         | Q Var                               | Consider changing to oral prednisone                       | \$\$\$                |
| Xanthines                                | Theophylline           | Theo-Dur                            | Monitor theophylline blood levels                          | ¢¢                    |
| <b>HEART DISEASE (30)</b>                |                        |                                     |                                                            |                       |
| ACE Inhibitors                           | Benazepril             | Lotensin                            |                                                            | ¢¢                    |
|                                          | Captopril              | Capoten                             |                                                            | ¢¢                    |
|                                          | Enalapril              | Vasotec                             |                                                            | ¢¢                    |
|                                          | Lisinopril             | Prinivil, Zestril                   |                                                            | ¢¢                    |
|                                          | Quinapril              | Accupril                            |                                                            | \$                    |
|                                          | Ramipril               | Altace                              |                                                            | \$\$                  |
| Alpha Adrenergic Agonists                | Clonidine              | Catapres                            | Patch is expensive                                         | ¢                     |
| Alpha Adrenergic Blockers                | Doxazosin              | Cardura                             |                                                            | \$                    |
|                                          | Terazosin              | Hytrin                              |                                                            | ¢                     |
| Angiotensin Receptor Blockers            | Candesartan            | Atacand                             |                                                            | \$                    |
|                                          | Irbesartan             | Avapro                              |                                                            | \$                    |
|                                          | Losartan               | Cozaar                              |                                                            | \$                    |
|                                          | Olmesartan             | Benicar                             |                                                            | \$\$                  |
|                                          | Valsartan              | Diovan                              |                                                            | \$\$                  |
| Antianginal Agents                       | Isosorbide Dinitrate   | Isordil                             |                                                            | \$\$                  |
|                                          | Isosorbide Mononitrate | Monoket, Imdur                      |                                                            | ¢¢                    |
|                                          | Nitroglycerin          | Nitroguard, Nitro Paste, NitroPatch | Spray expensive                                            | \$                    |
| Anticoagulants                           | Warfarin               | Coumadin                            |                                                            | ¢¢                    |
|                                          | Heparin                | Heparin                             |                                                            | \$\$\$                |
| Antiplatelet                             | Aspirin                | Bayer                               |                                                            | ¢                     |
| Beta Adrenergic Blockers                 | Atenolol               | Tenormin                            |                                                            | ¢                     |
|                                          | Bisoprolol             | Zebeta                              |                                                            | \$                    |
|                                          | Carvedilol             | Coreg (NO Coreg CR)                 |                                                            | \$\$\$                |
|                                          | Labetalol              | Normodyne                           |                                                            | \$                    |
|                                          | Metoprolol             | Lopressor, Toprol XL                |                                                            | ¢                     |
|                                          | Propranolol            | Inderal                             |                                                            | ¢¢                    |

| THERAPEUTIC CLASS                                   | GENERIC NAME                  | BRAND EXAMPLE          | COMMENTS    | RELATIVE COST PER DAY |
|-----------------------------------------------------|-------------------------------|------------------------|-------------|-----------------------|
| Calcium Channel Blockers                            | Amlodipine                    | Norvasc                |             | \$                    |
|                                                     | Diltiazem                     | Cardizem               |             | €€                    |
|                                                     | Nifedipine                    | Procardia              |             | \$                    |
|                                                     | Felodipine                    | Plendil                |             | \$                    |
|                                                     | Verapamil                     | Calan                  |             | \$\$                  |
| Cardiac Glycosides                                  | Digoxin                       | Lanoxin                |             | €                     |
| Thiazide Diuretics                                  | Chlorthalidone                | Hygroton               |             | €                     |
|                                                     | Hydrochlorothiazide           | Oretic                 |             | €                     |
| Loop Diuretic                                       | Bumetanide                    | Bumex                  |             | €€                    |
| Vasodilators                                        | Hydralazine                   | Apresoline             |             | €€                    |
| <b>STROKE/COMA (40)</b>                             |                               |                        |             |                       |
| ACE Inhibitors                                      | Benazepril                    | Lotensin               |             | €€                    |
|                                                     | Captopril                     | Capoten                |             | €€                    |
|                                                     | Enalapril                     | Vasotec                |             | €€                    |
|                                                     | Lisinopril                    | Prinivil, Zestril      |             | €€                    |
|                                                     | Quinapril                     | Accupril               |             | \$                    |
|                                                     | Ramipril                      | Altace                 |             | \$\$                  |
| Alpha Adrenergic Agonists                           | Clonidine                     | Catapres               |             | €                     |
| Alpha Adrenergic Blockers                           | Doxazosin                     | Cardura                |             | \$                    |
|                                                     | Terazosin                     | Hytrin                 |             | €                     |
| Angiotensin Receptor Blockers                       | Candesartan                   | Atacand                |             | \$                    |
|                                                     | Irbesartan                    | Avapro                 |             | \$                    |
|                                                     | Losartan                      | Cozaar, Hyzaar         |             | \$                    |
|                                                     | Olmesartan                    | Benicar                |             | \$\$                  |
|                                                     | Valsartan                     | Diovan                 |             | \$\$                  |
| Anticoagulants                                      | Warfarin                      | Coumadin               |             | €€                    |
|                                                     | Heparin                       | Heparin                |             | \$\$\$                |
| Antiplatelet                                        | Aspirin                       | Bayer                  |             | €                     |
| Beta Adrenergic Blockers                            | Atenolol                      | Tenormin               |             | €                     |
|                                                     | Bisoprolol                    | Zebeta                 |             | \$                    |
|                                                     | Carvedilol                    | Coreg (No CR)          |             | \$\$\$                |
|                                                     | Labetalol                     | Normodyne              |             | \$                    |
|                                                     | Metoprolol                    | Lopressor, Toprol XL   |             | €                     |
|                                                     | Propranolol                   | Inderal                |             | €€                    |
| Calcium Channel Blockers                            | Amlodipine                    | Norvasc                |             | \$                    |
|                                                     | Diltiazem                     | Cardizem               |             | €€                    |
|                                                     | Felodipine                    | Plendil                |             | \$                    |
|                                                     | Nifedipine                    | Procardia              |             | \$                    |
|                                                     | Nisoldipine                   | Sular                  |             | \$\$                  |
|                                                     | Verapamil                     | Calan                  |             | \$\$                  |
| Thiazide Diuretics                                  | Chlorthalidone                | Hygroton               |             | €                     |
|                                                     | Hydrochlorothiazide           | Oretic                 |             | €                     |
| <b>LIVER DISEASE (50)</b>                           |                               |                        |             |                       |
| Beta Adrenergic Blockers                            | Nadolol                       | Corgard                |             | €€                    |
|                                                     | Propranolol                   | Inderal                |             | €€                    |
| Coagulants                                          | Vitamin K                     | Mephyton, AquaMephyton |             | €€                    |
| Vasodilators                                        | Isosorbide Dinitrate          | Isordil                |             | \$\$                  |
|                                                     | Isosorbide Mononitrate        | Monoket, Imdur         |             | €€                    |
| Loop Diuretic                                       | Bumetanide                    | Bumex                  |             | €€                    |
| <b>RENAL DISEASE (60)</b>                           |                               |                        |             |                       |
| <b>Base Formulary Only (No additional add on's)</b> |                               |                        |             |                       |
| <b>NEUROMUSCULAR DISEASE (70) ALS - PARKINSONS</b>  |                               |                        |             |                       |
| Antiemetics                                         | Trimethobenzamide             | Tigan Capsules         | Parkinson's | \$\$\$                |
| Antiparkinson's Agents                              | Amantadine                    | Symmetrel              | Parkinson's | €€                    |
|                                                     | Entacapone                    | Comtan                 | Parkinson's | \$\$                  |
|                                                     | Levodopa/Carbidopa            | Sinemet                | Parkinson's | \$                    |
|                                                     | Levodopa/Carbidopa/Entacapone | Stelevo                | Parkinson's | \$\$\$\$\$            |
|                                                     | Pramipexole                   | Mirapex                | Parkinson's | \$\$\$\$              |
|                                                     | Ropinirole                    | Requip                 | Parkinson's | \$\$\$\$              |
|                                                     | Selegiline                    | Eldepryl               | Parkinson's | €€                    |
|                                                     | Trihexyphenidyl               | Trihexyphenidyl        | Parkinson's | €                     |

| THERAPEUTIC CLASS                                                        | GENERIC NAME    | BRAND EXAMPLE | COMMENTS                 | RELATIVE COST PER DAY |
|--------------------------------------------------------------------------|-----------------|---------------|--------------------------|-----------------------|
| Antispasmodics                                                           | Cyclobenzaprine | Flexeril      | Skeletal Muscle Relaxant | ¢¢                    |
|                                                                          | Tizanidine      | Zanaflex      | Skeletal Muscle Relaxant | \$\$                  |
| Atypical Antipsychotics                                                  | Quetiapine      | Seroquel      | Parkinsons               | \$\$\$                |
| <b>HIV OR AIDS (80)</b>                                                  |                 |               |                          |                       |
| Base Formulary Only (No additional add on's)                             |                 |               |                          |                       |
| <b>DEMENTIA (90)</b>                                                     |                 |               |                          |                       |
| Atypical Antipsychotics                                                  | Quetiapine      | Seroquel      |                          | \$\$\$                |
|                                                                          | Risperidone     | Risperdal     |                          | \$\$\$\$              |
| <b>UNSPECIFIED DIAGNOSIS/DEBILITY UNSPECIFIED/FAILURE TO THRIVE (95)</b> |                 |               |                          |                       |
| Base Formulary Only (No additional add on's)                             |                 |               |                          |                       |



## HospiScript Diagnosis Based Formulary - Alphabetical Listing by Brand/Generic Name

| Generic/Brand Drug Name            | Generic/Brand Drug Name              | Drug Class/Indication                                                  | Formulary             | Cost     |
|------------------------------------|--------------------------------------|------------------------------------------------------------------------|-----------------------|----------|
| <i>Accupril</i>                    | <b>Quinapril</b>                     | ACE Inhibitors                                                         | <b>CARDIAC/STROKE</b> | \$       |
| <b>Acetaminophen</b>               | <i>Tylenol</i>                       | Fever, Pain-Nonopioid                                                  | <b>BASE</b>           | ¢        |
| <b>Acyclovir</b>                   | <i>Zovirax (Oral Only)</i>           | Infection-Viral                                                        | <b>BASE</b>           | \$\$\$   |
| <i>Advair</i>                      | <b>Salmeterol-Fluticasone</b>        | Beta Adrenergic Agonist/Corticosteroid                                 | <b>PULMONARY</b>      | \$\$\$\$ |
| <b>Albuterol</b>                   | <i>Proventil</i>                     | Beta Agonist Bronchodilator                                            | <b>BASE</b>           | \$\$     |
| <b>Albuterol-Ipratropium</b>       | <i>Combivent, Duo-Neb</i>            | Beta Adrenergic Agonists/Anticholinergic                               | <b>PULMONARY</b>      | \$\$\$   |
| <i>Aldactone</i>                   | <b>Spironolactone</b>                | Fluid Retention-Potassium Sparing Diuretic                             | <b>BASE</b>           | ¢¢       |
| <b>Alprazolam</b>                  | <i>Xanax</i>                         | Anxiety, Dyspnea, Insomnia, Nausea & Vomiting-Benzodiazepine           | <b>BASE</b>           | \$       |
| <i>Altace</i>                      | <b>Ramipril</b>                      | ACE Inhibitors                                                         | <b>CARDIAC/STROKE</b> | \$\$     |
| <b>Aluminum/Magnesium</b>          | <i>Maalox, Mylanta, Maalox Plus</i>  | Gastrointestinal-Antacid                                               | <b>BASE</b>           | ¢¢       |
| <b>Amantadine</b>                  | <i>Symmetrel</i>                     | Antiparkinson's Agents                                                 | <b>NEUROMUSCULAR</b>  | ¢¢       |
| <b>Amitriptyline</b>               | <i>Elavil</i>                        | Neuropathic Pain-Tricyclic Antidepressant                              | <b>BASE</b>           | ¢        |
| <b>Amlodipine</b>                  | <i>Norvasc</i>                       | Calcium Channel Blockers                                               | <b>CARDIAC/STROKE</b> | \$       |
| <b>Amoxicillin</b>                 | <i>Amoxil</i>                        | Infection-Bacterial                                                    | <b>BASE</b>           | ¢¢       |
| <i>Amoxil</i>                      | <b>Amoxicillin</b>                   | Infection-Bacterial                                                    | <b>BASE</b>           | ¢¢       |
| <i>Antivert</i>                    | <b>Meclizine</b>                     | Nausea & Vomiting, Secretions-Antihistamine                            | <b>BASE</b>           | ¢¢       |
| <i>Apresoline</i>                  | <b>Hydralazine</b>                   | Vasodilators                                                           | <b>CARDIAC</b>        | ¢¢       |
| <b>Artificial Saliva</b>           | <i>Salivart</i>                      | Xerostoma ( <i>dry mouth</i> )                                         | <b>BASE</b>           | ¢¢       |
| <b>Artificial Tears</b>            | <i>Lytears</i>                       | Dry Eyes-Lubricant                                                     | <b>BASE</b>           | \$       |
| <b>Aspirin</b>                     | <i>Bayer</i>                         | Antiplatelet                                                           | <b>CARDIAC/STROKE</b> | ¢        |
| <i>Atacand</i>                     | <b>Candesartan</b>                   | Angiotensin Receptor Blockers                                          | <b>CARDIAC/STROKE</b> | \$       |
| <i>Atarax</i>                      | <b>Hydroxyzine</b>                   | Anxiety, Pruritus-Antihistamine                                        | <b>BASE</b>           | \$       |
| <i>Vistaril</i>                    | <b>Hydroxyzine</b>                   | Anxiety, Pruritus-Antihistamine                                        | <b>BASE</b>           | \$       |
| <b>Atenolol</b>                    | <i>Tenormin</i>                      | Beta Adrenergic Blockers                                               | <b>CARDIAC/STROKE</b> | ¢        |
| <i>Ativan</i>                      | <b>Lorazepam</b>                     | Anxiety, Dyspnea, Insomnia, Nausea & Vomiting, Seizures-Benzodiazepine | <b>BASE</b>           | \$       |
| <b>Atropine 1% Ophthalmic Soln</b> | <i>Isopto Atropine</i>               | Secretions-Anticholinergic                                             | <b>BASE</b>           | ¢¢       |
| <i>Atrovent</i>                    | <b>Ipratropium</b>                   | Anticholinergics                                                       | <b>PULMONARY</b>      | \$       |
| <i>Avapro</i>                      | <b>Irbesartan</b>                    | Angiotensin Receptor Blockers                                          | <b>CARDIAC/STROKE</b> | \$       |
| <b>Azithromycin</b>                | <i>Zithromax</i>                     | Infection-Bacterial                                                    | <b>BASE</b>           | \$\$\$\$ |
| <b>Bacitracin</b>                  |                                      | Topical-Anti-infective                                                 | <b>BASE</b>           | ¢        |
| <b>Baclofen</b>                    | <i>Lioresal</i>                      | Hiccups, Muscle Spasms                                                 | <b>BASE</b>           | \$       |
| <i>Bactrim DS</i>                  | <b>Sulfamethoxazole/Trimethoprim</b> | Infection-Bacterial                                                    | <b>BASE</b>           | ¢¢       |
| <i>Bayer</i>                       | <b>Aspirin</b>                       | Antiplatelet                                                           | <b>CARDIAC/STROKE</b> | ¢        |
| <i>Baza Protect</i>                | <b>Zinc Oxide + Dimethicone</b>      | Topical-Protectant                                                     | <b>BASE</b>           | ¢¢       |
| <i>Baza, Zeasorb AF</i>            | <b>Myconazole Cream, Powder</b>      | Topical Antifungal                                                     | <b>BASE</b>           | ¢        |

| Generic/Brand Drug Name                | Generic/Brand Drug Name        | Drug Class/Indication                                       | Formulary                    | Cost            |
|----------------------------------------|--------------------------------|-------------------------------------------------------------|------------------------------|-----------------|
| <b>Beclomethasone</b>                  | <i>Q Var</i>                   | Corticosteroids - Inhaled                                   | <b>PULMONARY</b>             | <b>\$\$\$</b>   |
| <i>Benadryl</i>                        | <b>Diphenhydramine</b>         | Anxiety, Insomnia, EPS, Pruritus-Antihistamine              | <b>BASE</b>                  | <b>¢¢</b>       |
| <b>Benazepril</b>                      | <i>Lotensin</i>                | ACE Inhibitors                                              | <b>CARDIAC/STROKE</b>        | <b>¢¢</b>       |
| <i>Benicar</i>                         | <b>Olmesartan</b>              | Angiotensin Receptor Blockers                               | <b>CARDIAC/STROKE</b>        | <b>\$\$</b>     |
| <b>Benzonatate</b>                     | <i>Tessalon Perles</i>         | Cough-Suppressant                                           | <b>BASE</b>                  | <b>\$\$\$</b>   |
| <b>Benztropine</b>                     | <i>Cogentin</i>                | EPS-Anticholinergic                                         | <b>BASE</b>                  | <b>¢</b>        |
| <b>Bethanechol</b>                     | <i>Urecholine</i>              | Genitourinary-Cholinergic                                   | <b>BASE</b>                  | <b>\$\$\$</b>   |
| <b>Bisacodyl</b>                       | <i>Dulcolax</i>                | Constipation-Stimulant Laxative                             | <b>BASE</b>                  | <b>\$</b>       |
| <b>Bismuth Subsalicylate</b>           | <i>Kaopectate</i>              | Diarrhea-Absorbent                                          | <b>BASE</b>                  | <b>\$</b>       |
| <b>Bisoprolol</b>                      | <i>Zebeta</i>                  | Beta Adrenergic Blockers                                    | <b>CARDIAC/STROKE</b>        | <b>\$</b>       |
| <b>Bumetanide</b>                      | <i>Bumex</i>                   | Loop Diuretic                                               | <b>CARDIAC/LIVER</b>         | <b>¢¢</b>       |
| <i>Bumex</i>                           | <b>Bumetanide</b>              | Loop Diuretic                                               | <b>CARDIAC/LIVER</b>         | <b>¢¢</b>       |
| <i>Calan</i>                           | <b>Verapamil</b>               | Calcium Channel Blockers                                    | <b>CARDIAC/STROKE</b>        | <b>\$\$</b>     |
| <i>Calmoseptine</i>                    | <b>Thymol/Menthol/Ointment</b> | Topical-Protectant                                          | <b>BASE</b>                  | <b>¢</b>        |
| <b>Camphor/Menthol Lotion</b>          | <i>Sarna</i>                   | Topical-Antipruritic                                        | <b>BASE</b>                  | <b>\$</b>       |
| <b>Candesartan</b>                     | <i>Atacand</i>                 | Angiotensin Receptor Blockers                               | <b>CARDIAC/STROKE</b>        | <b>\$</b>       |
| <i>Capoten</i>                         | <b>Captopril</b>               | ACE Inhibitors                                              | <b>CARDIAC/STROKE</b>        | <b>¢¢</b>       |
| <b>Captopril</b>                       | <i>Capoten</i>                 | ACE Inhibitors                                              | <b>CARDIAC/STROKE</b>        | <b>¢¢</b>       |
| <i>Carafate</i>                        | <b>Sucralfate</b>              | Gastrointestinal-Protectant                                 | <b>BASE</b>                  | <b>\$</b>       |
| <b>Carbamazepine</b>                   | <i>Tegretol</i>                | Neuropathic Pain, Seizures-Antiepileptic                    | <b>BASE</b>                  | <b>¢¢</b>       |
| <i>Cardizem</i>                        | <b>Diltiazem</b>               | Calcium Channel Blockers                                    | <b>CARDIAC/STROKE</b>        | <b>¢¢</b>       |
| <i>Cardura</i>                         | <b>Doxazosin</b>               | Alpha Adrenergic Blockers                                   | <b>CARDIAC/STROKE</b>        | <b>\$</b>       |
| <b>Carvedilol</b>                      | <i>Coreg (NO Coreg CR)</i>     | Beta Adrenergic Blockers                                    | <b>CARDIAC/STROKE</b>        | <b>\$\$\$</b>   |
| <i>Catapres</i>                        | <b>Clonidine</b>               | Alpha Adrenergic Agonists                                   | <b>CARDIAC/STROKE</b>        | <b>¢</b>        |
| <i>Celexa</i>                          | <b>Citalopram</b>              | Depression-Selective Serotonin Reuptake Inhibitor           | <b>BASE</b>                  | <b>\$\$</b>     |
| <b>Cephalexin</b>                      | <i>Keflex</i>                  | Infection-Bacterial                                         | <b>BASE</b>                  | <b>\$</b>       |
| <b>Chloral Hydrate</b>                 | <i>Somnote</i>                 | Insomnia-Hypnotic, Nonbenzodiazepine                        | <b>BASE</b>                  | <b>¢¢</b>       |
| <b>Chlorpromazine</b>                  | <i>Thorazine</i>               | Agitation, Hiccups, Nausea & Vomiting-Phenothiazine         | <b>BASE</b>                  | <b>\$</b>       |
| <b>Chlorthalidone</b>                  | <i>Hygroton</i>                | Thiazide Diuretics                                          | <b>CARDIAC/STROKE</b>        | <b>¢</b>        |
| <b>Choline Magnesium Trisalicylate</b> | <i>Trilisate</i>               | Pain-Salicylate anti-inflammatory                           | <b>BASE</b>                  | <b>\$\$</b>     |
| <i>Cipro</i>                           | <b>Ciprofloxacin</b>           | Infection-Bacterial                                         | <b>BASE</b>                  | <b>\$\$\$\$</b> |
| <b>Ciprofloxacin</b>                   | <i>Cipro</i>                   | Infection-Bacterial                                         | <b>BASE</b>                  | <b>\$\$\$\$</b> |
| <b>Citalopram</b>                      | <i>Celexa</i>                  | Depression-Selective Serotonin Reuptake Inhibitor           | <b>BASE</b>                  | <b>\$\$</b>     |
| <b>Clonazepam</b>                      | <i>Klonopin</i>                | Anxiety, Seizures-Benzodiazepine                            | <b>BASE</b>                  | <b>\$</b>       |
| <b>Clonidine</b>                       | <i>Catapres</i>                | Alpha Adrenergic Agonists                                   | <b>CARDIAC/STROKE</b>        | <b>¢</b>        |
| <i>Cogentin</i>                        | <b>Benzotropine</b>            | EPS-Anticholinergic                                         | <b>BASE</b>                  | <b>¢</b>        |
| <i>Colace</i>                          | <b>Docusate Sodium</b>         | Constipation-Stool Softener                                 | <b>BASE</b>                  | <b>¢¢</b>       |
| <i>Combivent</i>                       | <b>Albuterol-Ipratropium</b>   | Beta Adrenergic Agonists/Anticholinergic                    | <b>PULMONARY</b>             | <b>\$\$\$</b>   |
| <i>Compazine</i>                       | <b>Prochlorperazine</b>        | Nausea & Vomiting: Chemoreceptor Trigger Zone-Phenothiazine | <b>BASE</b>                  | <b>\$</b>       |
| <i>Comtan</i>                          | <b>Entacapone</b>              | Antiparkinson's Agents                                      | <b>NEUROMUSCULAR</b>         | <b>\$\$</b>     |
| <i>Coreg (NO Coreg CR)</i>             | <b>Carvedilol</b>              | Beta Adrenergic Blockers                                    | <b>CARDIAC/STROKE</b>        | <b>\$\$\$</b>   |
| <i>Corgard</i>                         | <b>Nadolol</b>                 | Beta Adrenergic Blockers                                    | <b>LIVER</b>                 | <b>¢¢</b>       |
| <i>Cortaid</i>                         | <b>Hydrocortisone Cream</b>    | Topical-Corticosteroid                                      | <b>BASE</b>                  | <b>¢¢</b>       |
| <i>Coumadin</i>                        | <b>Warfarin</b>                | Anticoagulants                                              | <b>CANCER/CARDIAC/STROKE</b> | <b>¢¢</b>       |

| Generic/Brand Drug Name                | Generic/Brand Drug Name                | Drug Class/Indication                                                                     | Formulary             | Cost     |
|----------------------------------------|----------------------------------------|-------------------------------------------------------------------------------------------|-----------------------|----------|
| <i>Cozaar, Hyzaar</i>                  | <b>Losartan</b>                        | Angiotensin Receptor Blockers                                                             | <b>CARDIAC/STROKE</b> | \$       |
| <b>Cyclobenzaprine</b>                 | <i>Flexeril</i>                        | Antispasmodics                                                                            | <b>NEUROMUSCULAR</b>  | ¢¢       |
| <i>Darvocet N-100</i>                  | <b>Propoxyphene/Acetaminophen</b>      | Nociceptive Pain-Combination Opioid/Nonopioid                                             | <b>BASE</b>           | \$\$     |
| <i>Decadron</i>                        | <b>Dexamethasone</b>                   | Anorexia, Fatigue, Pain, Pruritus, Respiratory Anti-Inflammatory, Seizures-Corticosteroid | <b>BASE</b>           | \$       |
| <i>Deltasone</i>                       | <b>Prednisone</b>                      | Anorexia, Fatigue, Pain, Pruritus, Respiratory Anti-Inflammatory-Corticosteroid           | <b>BASE</b>           | ¢        |
| <i>Depakote/Depakene</i>               | <b>Divalproex Sodium/Valproic Acid</b> | Neuropathic Pain Seizures-Antiepileptic                                                   | <b>BASE</b>           | \$\$\$   |
| <b>Desipramine</b>                     | <i>Norpramin</i>                       | Neuropathic Pain-Tricyclic Antidepressant                                                 | <b>BASE</b>           | ¢        |
| <i>Desitin</i>                         | <b>Zinc Oxide Ointment</b>             | Topical-Protectant                                                                        | <b>BASE</b>           | ¢¢       |
| <i>Desyrel</i>                         | <b>Trazodone</b>                       | Insomnia-Antidepressant                                                                   | <b>BASE</b>           | ¢        |
| <b>Dexamethasone</b>                   | <i>Decadron</i>                        | Anorexia, Fatigue, Pain, Pruritus, Respiratory Anti-Inflammatory, Seizures-Corticosteroid | <b>BASE</b>           | \$       |
| <b>Diazepam (No Diastat)</b>           | <i>Valium</i>                          | Anxiety, Dyspnea, Muscle Spasms, Nausea & Vomiting, Seizures-Benzodiazepine               | <b>BASE</b>           | \$       |
| <b>Diazepam Concentrated Oral Soln</b> | <i>Diazepam Intensol</i>               | Anxiety, Dyspnea, Muscle Spasms, Nausea & Vomiting, Seizures-Benzodiazepine               | <b>BASE</b>           | \$\$\$   |
| <i>Diazepam Intensol</i>               | <b>Diazepam Concentrated Oral Soln</b> | Anxiety, Dyspnea, Muscle Spasms, Nausea & Vomiting, Seizures-Benzodiazepine               | <b>BASE</b>           | \$\$\$   |
| <i>Diffucan</i>                        | <b>Fluconazole</b>                     | Infection-Fungal                                                                          | <b>BASE</b>           | \$\$\$\$ |
| <b>Digoxin</b>                         | <i>Lanoxin</i>                         | Cardiac Glycosides                                                                        | <b>CARDIAC</b>        | ¢        |
| <i>Dilantin</i>                        | <b>Phenytoin</b>                       | Seizures-Maintenance-Antiepileptic                                                        | <b>BASE</b>           | ¢¢       |
| <i>Dilaudid</i>                        | <b>Hydromorphone</b>                   | Dyspnea, Pain-Opioid                                                                      | <b>BASE</b>           | \$\$     |
| <b>Diltiazem</b>                       | <i>Cardizem</i>                        | Calcium Channel Blockers                                                                  | <b>CARDIAC/STROKE</b> | ¢¢       |
| <i>Diovan</i>                          | <b>Valsartan</b>                       | Angiotensin Receptor Blockers                                                             | <b>CARDIAC/STROKE</b> | \$\$     |
| <b>Diphenhydramine</b>                 | <i>Benadryl</i>                        | Anxiety, Insomnia, EPS, Pruritus-Antihistamine                                            | <b>BASE</b>           | ¢¢       |
| <b>Diphenoxylate/Atropine</b>          | <i>Lomotil</i>                         | Diarrhea-Hypermotility                                                                    | <b>BASE</b>           | \$\$     |
| <i>Ditropan</i>                        | <b>Oxybutynin IR</b>                   | Genitourinary-Bladder Spasms-Anticholinergic                                              | <b>BASE</b>           | \$\$\$   |
| <b>Divalproex Sodium/Valproic Acid</b> | <i>Depakote/Depakene</i>               | Neuropathic Pain-Antiepileptic                                                            | <b>BASE</b>           | \$\$\$   |
| <b>Docusate Sodium</b>                 | <i>Colace</i>                          | Constipation-Stool Softener                                                               | <b>BASE</b>           | ¢¢       |
| <i>Dolophine, Methadose</i>            | <b>Methadone</b>                       | Neuropathic Pain, Pain-Opioid                                                             | <b>BASE</b>           | ¢¢       |
| <b>Doxazosin</b>                       | <i>Cardura</i>                         | Alpha Adrenergic Blockers                                                                 | <b>CARDIAC/STROKE</b> | \$       |
| <b>Doxepin</b>                         | <i>Sinequan</i>                        | Neuropathic Pain, Pruritus-Tricyclic Antidepressant                                       | <b>BASE</b>           | ¢        |
| <b>Doxycycline</b>                     | <i>Vibramycin</i>                      | Infection-Bacterial                                                                       | <b>BASE</b>           | \$       |
| <i>Dulcolax</i>                        | <b>Bisacodyl</b>                       | Constipation-Stimulant                                                                    | <b>BASE</b>           | \$       |
| <i>Duo-Neb</i>                         | <b>Albuterol-Ipratropium</b>           | Beta Adrenergic Agonists/Anticholinergic                                                  | <b>PULMONARY</b>      | \$\$\$   |

| Generic/Brand Drug Name                                               | Generic/Brand Drug Name                                               | Drug Class/Indication                               | Formulary      | Cost     |
|-----------------------------------------------------------------------|-----------------------------------------------------------------------|-----------------------------------------------------|----------------|----------|
| <i>Duragesic</i>                                                      | <b>Fentanyl Patch<br/>(Nonformulary Requires Prior Authorization)</b> | Pain-Opioid                                         |                | \$\$\$\$ |
| <i>Elavil</i>                                                         | <b>Amitriptyline</b>                                                  | Neuropathic Pain-Tricyclic Antidepressant           | BASE           | ¢        |
| <i>Eldepryl</i>                                                       | <b>Selegiline</b>                                                     | Antiparkinson's Agents                              | NEUROMUSCULAR  | ¢¢       |
| <b>Emollient</b>                                                      | <i>Eucerin</i>                                                        | Topical-Emollient                                   | BASE           | ¢¢       |
| <i>E-Mycin, Erytab</i>                                                | <b>Erythromycin</b>                                                   | Infection, Nausea & Vomiting                        | BASE           | \$       |
| <b>Enalapril</b>                                                      | <i>Vasotec</i>                                                        | ACE Inhibitors                                      | CARDIAC/STROKE | ¢¢       |
| <b>Entacapone</b>                                                     | <i>Comtan</i>                                                         | Antiparkinson's Agents                              | NEUROMUSCULAR  | \$\$     |
| <b>Erythromycin</b>                                                   | <i>E-Mycin, Erytab</i>                                                | Infection, Nausea & Vomiting                        | BASE           | \$       |
| <b>Escitalopram</b>                                                   | <i>Lexapro</i>                                                        | Depression-Selective Serotonin Reuptake Inhibitor   | BASE           | \$\$     |
| <i>Eucerin</i>                                                        | <b>Emollient</b>                                                      | Topical-Emollient                                   | BASE           | ¢¢       |
| <b>Famotidine (No Oral Liq)</b>                                       | <i>Pepcid</i>                                                         | Gastrointestinal-H2 Antagonist                      | BASE           | \$       |
| <b>Felodipine</b>                                                     | <i>Plendil</i>                                                        | Calcium Channel Blockers                            | CARDIAC/STROKE | \$       |
| <b>Fentanyl Patch<br/>(Nonformulary Requires Prior Authorization)</b> | <i>Duragesic</i>                                                      | Pain-Opioid                                         |                | \$\$\$\$ |
| <i>Flagyl</i>                                                         | <b>Metronidazole</b>                                                  | Infection-Bacterial                                 | BASE           | \$       |
| <i>Fleet Enema</i>                                                    | <b>Sodium Phosphate Enema</b>                                         | Constipation-Osmotic Laxative                       | BASE           | \$       |
| <i>Flexeril</i>                                                       | <b>Cyclobenzaprine</b>                                                | Antispasmodics                                      | NEUROMUSCULAR  | ¢¢       |
| <b>Fluconazole</b>                                                    | <i>Diffucan</i>                                                       | Infection-Fungal                                    | BASE           | \$\$\$\$ |
| <b>Fludrocortisone</b>                                                | <i>Fludrocortisone</i>                                                | Mineralocorticoids                                  | CARDIAC/STROKE | ¢¢       |
| <i>Fludrocortisone</i>                                                | <b>Fludrocortisone</b>                                                | Mineralocorticoids                                  | CARDIAC/STROKE | ¢¢       |
| <b>Fluoxetine</b>                                                     | <i>Prozac</i>                                                         | Depression-Selective Serotonin Reuptake Inhibitor   | BASE           | \$       |
| <b>Furosemide</b>                                                     | <i>Lasix</i>                                                          | Fluid Retention-Loop Diuretic                       | BASE           | ¢        |
| <b>Gabapentin</b>                                                     | <i>Neurontin</i>                                                      | Neuropathic Pain-Antiepileptic                      | BASE           | \$\$\$   |
| <b>Glycerin Suppository</b>                                           |                                                                       | Constipation-Osmotic Laxative                       | BASE           | \$       |
| <b>Glycopyrrolate injection</b>                                       | <i>Robinul</i>                                                        | Nausea & Vomiting, Secretions-Anticholinergic       | BASE           | \$\$\$   |
| <b>Guaifenesin</b>                                                    | <i>Robitussin, Mucinex</i>                                            | Cough-Expectorant                                   | BASE           | ¢¢       |
| <b>Guaifenesin/Codeine Liq</b>                                        | <i>Robitussin AC</i>                                                  | Cough-Expectorant/Suppressant                       | BASE           | \$\$     |
| <b>Guaifenesin/Dextromethorphan Liq</b>                               | <i>Robitussin DM</i>                                                  | Cough-Expectorant/Suppressant                       | BASE           | \$\$     |
| <i>Haldol</i>                                                         | <b>Haloperidol</b>                                                    | Agitation, Hiccups, Nausea & Vomiting-Butyrophenone | BASE           | ¢        |
| <b>Haloperidol</b>                                                    | <i>Haldol</i>                                                         | Agitation, Hiccups, Nausea & Vomiting-Butyrophenone | BASE           | ¢        |
| <b>Heparin Flush</b>                                                  | <i>Heparin Lock flush</i>                                             | Line Maintenance                                    | BASE           | \$       |
| <b>Heparin</b>                                                        | <i>Heparin</i>                                                        | Anticoagulants                                      | CARDIAC/STROKE | \$\$\$   |
| <i>Hycodan</i>                                                        | <b>Hydrocodone/Homatropine Syrup</b>                                  | Cough-Expectorant/Suppressant                       | BASE           | \$\$\$\$ |
| <b>Hydralazine</b>                                                    | <i>Apresoline</i>                                                     | Vasodilators                                        | CARDIAC        | ¢¢       |
| <b>Hydrochlorothiazide</b>                                            | <i>Oretic</i>                                                         | Thiazide Diuretics                                  | CARDIAC/STROKE | ¢        |
| <b>Hydrocodone/Acetaminophen</b>                                      | <i>Lortab, Vicodin</i>                                                | Nociceptive Pain-Combination Opioid/Nonopioid       | BASE           | \$\$     |
| <b>Hydrocodone/ Homatropine Syrup</b>                                 | <i>Hycodan</i>                                                        | Cough-Expectorant/Suppressant                       | BASE           | \$\$\$\$ |
| <b>Hydrocortisone Cream</b>                                           | <i>Cortaid</i>                                                        | Topical-Corticosteroid                              | BASE           | ¢¢       |
| <b>Hydromorphone</b>                                                  | <i>Dilaudid</i>                                                       | Dyspnea, Pain-Opioid                                | BASE           | \$\$     |
| <b>Hydroxyzine</b>                                                    | <i>Atarax, Vistaril</i>                                               | Anxiety, Pruritus-Antihistamine                     | BASE           | \$       |

| Generic/Brand Drug Name                 | Generic/Brand Drug Name                 | Drug Class/Indication                                                  | Formulary                   | Cost       |
|-----------------------------------------|-----------------------------------------|------------------------------------------------------------------------|-----------------------------|------------|
| <i>Hygroton</i>                         | <b>Chlorthalidone</b>                   | Thiazide Diuretics                                                     | <b>CARDIAC/STROKE</b>       | ¢          |
| <b>Hyoscyamine</b>                      | <i>Levsin</i>                           | Genitourinary, Nausea & Vomiting, Secretions-Anticholinergic           | <b>BASE</b>                 | ¢¢         |
| <i>Hytrin</i>                           | <b>Terazosin</b>                        | Alpha Adrenergic Blockers                                              | <b>CARDIAC/STROKE</b>       | ¢          |
| <b>Ibuprofen</b>                        | <i>Motrin</i>                           | Fever, Pain-Nonsteroidal Anti-Inflammatory Drug                        | <b>BASE</b>                 | ¢          |
| <i>Imdur</i>                            | <b>Isosorbide Mononitrate</b>           | Vasodilators                                                           | <b>CARDIAC/LIVER</b>        | ¢¢         |
| <i>Imodium</i>                          | <b>Loperamide</b>                       | Diarrhea-Hypermotility                                                 | <b>BASE</b>                 | \$         |
| <i>Inderal</i>                          | <b>Propranolol</b>                      | Beta Adrenergic Blockers                                               | <b>CARDIAC/STROKE/LIVER</b> | ¢¢         |
| <i>Indocin</i>                          | <b>Indomethacin</b>                     | Pain-Nonsteroidal Anti-Inflammatory Drug                               | <b>BASE</b>                 | ¢¢         |
| <b>Indomethacin</b>                     | <i>Indocin</i>                          | Pain-Nonsteroidal Anti-Inflammatory Drug                               | <b>BASE</b>                 | ¢¢         |
| <b>Ipratropium</b>                      | <i>Atrovent</i>                         | Anticholinergics                                                       | <b>PULMONARY</b>            | \$         |
| <b>Irbesartan</b>                       | <i>Avapro</i>                           | Angiotensin Receptor Blockers                                          | <b>CARDIAC/STROKE</b>       | \$         |
| <i>Isopto Atropine</i>                  | <b>Atropine 1% Ophthalmic Soln</b>      | Secretions-Anticholinergic                                             | <b>BASE</b>                 | ¢¢         |
| <i>Isordil</i>                          | <b>Isosorbide Dinitrate</b>             | Vasodilators                                                           | <b>CARDIAC/LIVER</b>        | \$\$       |
| <b>Isosorbide Dinitrate</b>             | <i>Isordil</i>                          | Vasodilators                                                           | <b>CARDIAC/LIVER</b>        | \$\$       |
| <b>Isosorbide Mononitrate</b>           | <i>Monoket, Imdur</i>                   | Vasodilators                                                           | <b>CARDIAC/LIVER</b>        | ¢¢         |
| <i>Kaopectate</i>                       | <b>Bismuth Subsalicylate</b>            | Diarrhea-Absorbent                                                     | <b>BASE</b>                 | \$         |
| <i>Keflex</i>                           | <b>Cephalexin</b>                       | Infection-Bacterial                                                    | <b>BASE</b>                 | \$         |
| <i>Klonopin</i>                         | <b>Clonazepam</b>                       | Anxiety, Seizures-Benzodiazepine                                       | <b>BASE</b>                 | \$         |
| <i>KlorCon</i>                          | <b>Potassium Chloride</b>               | Cardiac-Potassium Supplement                                           | <b>BASE</b>                 | ¢          |
| <b>Labetalol</b>                        | <i>Normodyne</i>                        | Beta Adrenergic Blockers                                               | <b>CARDIAC/STROKE</b>       | \$         |
| <i>Lacrilube</i>                        | <b>Ophthalmic Lubricant</b>             | Dry Eyes-Lubricant                                                     | <b>BASE</b>                 | \$         |
| <i>Lanoxin</i>                          | <b>Digoxin</b>                          | Cardiac Glycosides                                                     | <b>CARDIAC</b>              | ¢          |
| <i>Lasix</i>                            | <b>Furosemide</b>                       | Fluid Retention-Loop Diuretic                                          | <b>BASE</b>                 | ¢          |
| <i>Levaquin</i>                         | <b>Levofloxacin</b>                     | Infection-Bacterial                                                    | <b>BASE</b>                 | \$\$\$\$\$ |
| <b>Levodopa/Carbidopa</b>               | <i>Sinemet</i>                          | Antiparkinson's Agents                                                 | <b>NEUROMUSCULAR</b>        | \$         |
| <b>Levodopa/ Carbidopa/ Entacapone</b>  | <i>Stelevo</i>                          | Antiparkinson's Agents                                                 | <b>NEUROMUSCULAR</b>        | \$\$\$\$\$ |
| <b>Levofloxacin</b>                     | <i>Levaquin</i>                         | Infection-Bacterial                                                    | <b>BASE</b>                 | \$\$\$\$\$ |
| <i>Levsin</i>                           | <b>Hyoscyamine</b>                      | Genitourinary, Nausea & Vomiting, Secretions-Anticholinergic           | <b>BASE</b>                 | ¢¢         |
| <i>Lexapro</i>                          | <b>Escitalopram</b>                     | Depression-Selective Serotonin Reuptake Inhibitor                      | <b>BASE</b>                 | \$\$       |
| <b>Lidocaine Inj for Nebulization</b>   | <i>Xylocaine</i>                        | Cough-Suppressant                                                      | <b>BASE</b>                 | \$\$\$     |
| <b>Lidocaine Ointment</b>               | <i>Lidocaine Topical</i>                | Topical-Analgesics                                                     | <b>BASE</b>                 | \$         |
| <b>Lidocaine Oral</b>                   | <i>Xylocaine Viscous</i>                | Pain-Pharyngeal                                                        | <b>BASE</b>                 | \$         |
| <i>Lioresal</i>                         | <b>Baclofen</b>                         | Hiccups, Muscle Spasms                                                 | <b>BASE</b>                 | \$         |
| <b>Lisinopril</b>                       | <i>Prinivil, Zestril</i>                | ACE Inhibitors                                                         | <b>CARDIAC/STROKE</b>       | ¢¢         |
| <i>Lomotil</i>                          | <b>Diphenoxylate/Atropine</b>           | Diarrhea-Hypermotility                                                 | <b>BASE</b>                 | \$\$       |
| <b>Loperamide</b>                       | <i>Imodium</i>                          | Diarrhea-Hypermotility                                                 | <b>BASE</b>                 | \$         |
| <i>Lopressor</i>                        | <b>Metoprolol</b>                       | Beta Adrenergic Blockers                                               | <b>CARDIAC/STROKE</b>       | ¢          |
| <b>Lorazepam</b>                        | <i>Ativan</i>                           | Anxiety, Dyspnea, Insomnia, Nausea & Vomiting, Seizures-Benzodiazepine | <b>BASE</b>                 | \$         |
| <b>Lorazepam Concentrated Oral Soln</b> | <i>Lorazepam Intensol</i>               | Anxiety, Dyspnea, Insomnia, Nausea & Vomiting, Seizures-Benzodiazepine | <b>BASE</b>                 | \$\$\$     |
| <i>Lorazepam Intensol</i>               | <b>Lorazepam Concentrated Oral Soln</b> | Anxiety, Dyspnea, Insomnia, Nausea & Vomiting, Seizures-Benzodiazepine | <b>BASE</b>                 | \$\$\$     |

| Generic/Brand Drug Name                       | Generic/Brand Drug Name                         | Drug Class/Indication                                  | Formulary             | Cost            |
|-----------------------------------------------|-------------------------------------------------|--------------------------------------------------------|-----------------------|-----------------|
| <i>Lortab</i>                                 | <b>Hydrocodone/ Acetaminophen</b>               | Nociceptive Pain-Combination Opioid/Nonopioid          | <b>BASE</b>           | <b>\$\$</b>     |
| <b>Losartan</b>                               | <i>Cozaar, Hyzaar</i>                           | Angiotensin Receptor Blockers                          | <b>CARDIAC/STROKE</b> | <b>\$</b>       |
| <i>Lotensin</i>                               | <b>Benazepril</b>                               | ACE Inhibitors                                         | <b>CARDIAC/STROKE</b> | <b>¢¢</b>       |
| <i>Luminal</i>                                | <b>Phenobarbital</b>                            | Agitation, Seizures-Barbiturate                        | <b>BASE</b>           | <b>¢</b>        |
| <i>Lyrica</i>                                 | <b>Pregabalin</b>                               | Neuropathic Pain-Antiepileptic                         | <b>BASE</b>           | <b>\$\$\$</b>   |
| <i>Lytears</i>                                | <b>Artificial Tears</b>                         | Dry Eyes-Lubricant                                     | <b>BASE</b>           | <b>\$</b>       |
| <i>Maalox Plus</i>                            | <b>Aluminum/Magnesium Hydroxide/Simethicone</b> | Gastrointestinal-Antacid                               | <b>BASE</b>           | <b>¢¢</b>       |
| <i>Maalox, Mylanta</i>                        | <b>Aluminum/Magnesium Hydroxide</b>             | Gastrointestinal-Antacid                               | <b>BASE</b>           | <b>¢¢</b>       |
| <i>Macrochantin</i>                           | <b>Nitrofurantoin</b>                           | Infection-Bacterial                                    | <b>BASE</b>           | <b>\$\$\$</b>   |
| <b>Magnesium Citrate</b>                      | <i>Mag-Citrate</i>                              | Constipation-Osmotic Laxative                          | <b>BASE</b>           | <b>¢¢</b>       |
| <b>Magnesium Hydroxide Suspension</b>         | <i>Milk of Magnesia</i>                         | Constipation-Osmotic Laxative                          | <b>BASE</b>           | <b>¢</b>        |
| <b>Meclizine</b>                              | <i>Antivert</i>                                 | Nausea & Vomiting, Secretions-Antihistamine            | <b>BASE</b>           | <b>¢¢</b>       |
| <i>Mephyton, AquaMephyton</i>                 | <b>Vitamin K</b>                                | Coagulants                                             | <b>LIVER</b>          | <b>¢¢</b>       |
| <i>Metamucil</i>                              | <b>Psyllium</b>                                 | Diarrhea-Absorbent-Bulk Laxative                       | <b>BASE</b>           | <b>¢</b>        |
| <b>Methadone</b>                              | <i>Dolophine, Methadose</i>                     | Neuropathic Pain, Pain-Opioid                          | <b>BASE</b>           | <b>¢¢</b>       |
| <b>Methylphenidate</b>                        | <i>Ritalin</i>                                  | Depression, Fatigue-Psychostimulant                    | <b>BASE</b>           | <b>\$</b>       |
| <b>Metoclopramide</b>                         | <i>Reglan</i>                                   | Hiccups, Nausea & Vomiting                             | <b>BASE</b>           | <b>\$\$</b>     |
| <b>Metolazone</b>                             | <i>Zaroxolyn</i>                                | Fluid Retention-Thiazide Diuretic                      | <b>BASE</b>           | <b>\$\$</b>     |
| <b>Metoprolol</b>                             | <i>Lopressor, Toprol XL</i>                     | Beta Adrenergic Blockers                               | <b>CARDIAC/STROKE</b> | <b>¢</b>        |
| <b>Metronidazole</b>                          | <i>Flagyl</i>                                   | Infection-Bacterial                                    | <b>BASE</b>           | <b>\$</b>       |
| <i>Milk of Magnesia</i>                       | <b>Magnesium Hydroxide Suspension</b>           | Constipation-Osmotic Laxative                          | <b>BASE</b>           | <b>¢</b>        |
| <b>Mineral Oil Enema</b>                      |                                                 | Constipation-Lubricant                                 | <b>BASE</b>           | <b>\$\$</b>     |
| <i>Mirapex</i>                                | <b>Pramipexole</b>                              | Antiparkinson's Agents                                 | <b>NEUROMUSCULAR</b>  | <b>\$\$\$\$</b> |
| <b>Mirtazapine</b>                            | <i>Remeron</i>                                  | Anorexia, Depression, Insomnia-Atypical Antidepressant | <b>BASE</b>           | <b>\$</b>       |
| <i>Monoket</i>                                | <b>Isosorbide Mononitrate</b>                   | Vasodilators                                           | <b>CARDIAC/LIVER</b>  | <b>¢¢</b>       |
| <b>Morphine</b>                               | <i>Roxanol, MS Contin, MSIR</i>                 | Pain,Dyspnea-Opioid                                    | <b>BASE</b>           | <b>¢¢-\$\$</b>  |
| <i>Motrin</i>                                 | <b>Ibuprofen</b>                                | Fever, Pain-Nonsteroidal Anti-Inflammatory Drug        | <b>BASE</b>           | <b>¢</b>        |
| <i>Mucinex</i>                                | <b>Guaifenesin SR</b>                           | Cough-Expectorant                                      | <b>BASE</b>           | <b>¢¢</b>       |
| <i>Mycolog</i>                                | <b>Nystatin/Triamcinolone Cream</b>             | Topical-Antifungal/Corticosteroid                      | <b>BASE</b>           | <b>¢¢</b>       |
| <b>Myconazole Cream, Powder</b>               | <i>Baza, Zeasorb AF</i>                         | Topical Antifungal                                     | <b>BASE</b>           | <b>¢</b>        |
| <i>Mycostatin</i>                             | <b>Nystatin</b>                                 | Infection-Fungal                                       | <b>BASE</b>           | <b>¢-\$\$</b>   |
| <i>Mylicon</i>                                | <b>Simethicone</b>                              | Gastrointestinal-Gas                                   | <b>BASE</b>           | <b>¢</b>        |
| <b>Nadolol</b>                                | <i>Corgard</i>                                  | Beta Adrenergic Blockers                               | <b>LIVER</b>          | <b>¢¢</b>       |
| <i>Naprosyn</i>                               | <b>Naproxen</b>                                 | Pain-Nonsteroidal Anti-Inflammatory Drug               | <b>BASE</b>           | <b>¢¢</b>       |
| <b>Naproxen</b>                               | <i>Naprosyn</i>                                 | Pain-Nonsteroidal Anti-Inflammatory Drug               | <b>BASE</b>           | <b>¢¢</b>       |
| <b>Neomycin/Polymyxin/Bacitracin Ointment</b> | <i>Neosporin</i>                                | Topical-Anti-infective                                 | <b>BASE</b>           | <b>¢¢</b>       |
| <i>Neosporin</i>                              | <b>Neomycin/Polymyxin/Bacitracin Ointment</b>   | Topical-Anti-infective                                 | <b>BASE</b>           | <b>¢¢</b>       |

| Generic/Brand Drug Name                                         | Generic/Brand Drug Name                                         | Drug Class/Indication                                      | Formulary             | Cost     |
|-----------------------------------------------------------------|-----------------------------------------------------------------|------------------------------------------------------------|-----------------------|----------|
| <i>Neurontin</i>                                                | <b>Gabapentin</b>                                               | Neuropathic Pain-Antiepileptic                             | <b>BASE</b>           | \$\$\$   |
| <b>Nifedipine</b>                                               | <i>Procardia</i>                                                | Calcium Channel Blockers                                   | <b>CARDIAC/STROKE</b> | \$       |
| <b>Nisoldipine</b>                                              | <i>Sular</i>                                                    | Calcium Channel Blockers                                   | <b>STROKE</b>         | \$\$     |
| <b>Nitrofurantoin</b>                                           | <i>Macroductin</i>                                              | Infection-Bacterial                                        | <b>BASE</b>           | \$\$\$   |
| <b>Nitroglycerin</b>                                            | <i>Nitroguard, Nitro Paste, NitroPatch</i>                      | Antianginal Agents                                         | <b>CARDIAC</b>        | \$       |
| <i>Nitroguard, Nitro Paste, NitroPatch</i>                      | <b>Nitroglycerin</b>                                            | Antianginal Agents                                         | <b>CARDIAC</b>        | \$       |
| <i>Normodyne</i>                                                | <b>Labetalol</b>                                                | Beta Adrenergic Blockers                                   | <b>CARDIAC/STROKE</b> | \$       |
| <i>Norpramin</i>                                                | <b>Desipramine</b>                                              | Neuropathic Pain-Tricyclic Antidepressant                  | <b>BASE</b>           | ¢        |
| <b>Nortriptyline</b>                                            | <i>Pamelor</i>                                                  | Neuropathic Pain-Tricyclic Antidepressant                  | <b>BASE</b>           | ¢        |
| <i>Norvasc</i>                                                  | <b>Amlodipine</b>                                               | Calcium Channel Blockers                                   | <b>CARDIAC/STROKE</b> | \$       |
| <b>Nystatin</b>                                                 | <i>Mycostatin</i>                                               | Topical Antifungal                                         | <b>BASE</b>           | ¢        |
| <b>Nystatin Oral Suspension</b>                                 | <i>Mycostatin</i>                                               | Infection-Fungal                                           | <b>BASE</b>           | \$\$     |
| <b>Nystatin/Triamcinolone Cream</b>                             | <i>Mycolog</i>                                                  | Topical-Antifungal/Corticosteroid                          | <b>BASE</b>           | ¢¢       |
| <b>Olmesartan</b>                                               | <i>Benicar</i>                                                  | Angiotensin Receptor Blockers                              | <b>CARDIAC/STROKE</b> | \$\$     |
| <b>Omeprazole OTC</b>                                           | <i>Prilosec OTC</i>                                             | Gastrointestinal-Proton Pump Inhibitor                     | <b>BASE</b>           | \$       |
| <b>Ophthalmic Lubricant</b>                                     | <i>Lacrilube</i>                                                | Dry Eyes-Lubricant                                         | <b>BASE</b>           | \$       |
| <i>Oretic</i>                                                   | <b>Hydrochlorothiazide</b>                                      | Thiazide Diuretics                                         | <b>CARDIAC/STROKE</b> | ¢        |
| <b>Oxybutynin IR</b>                                            | <i>Ditropan</i>                                                 | Genitourinary-Bladder Spasms-Anticholinergic               | <b>BASE</b>           | \$\$\$   |
| <b>Oxycodone IR (No Sustained Release)</b>                      | <i>Oxyfast, Roxidone</i>                                        | Dyspnea, Pain-Opioid                                       | <b>BASE</b>           | \$\$     |
| <b>Oxycodone SR (Nonformulary Requires Prior Authorization)</b> | <i>OxyContin</i>                                                | Pain-Opioid                                                | <b>BASE</b>           | \$\$\$\$ |
| <b>Oxycodone/Acetaminophen</b>                                  | <i>Percocet</i>                                                 | Nociceptive Pain-Combination Opioid/Nonopioid              | <b>BASE</b>           | \$\$     |
| <i>OxyContin</i>                                                | <b>Oxycodone SR (Nonformulary Requires Prior Authorization)</b> | Pain-Opioid                                                | <b>BASE</b>           | \$\$\$\$ |
| <i>Oxyfast</i>                                                  | <b>Oxycodone IR (No Sustained Release)</b>                      | Pain, Dyspnea-Opioid                                       | <b>BASE</b>           | \$\$     |
| <i>Pamelor</i>                                                  | <b>Nortriptyline</b>                                            | Neuropathic Pain-Tricyclic Antidepressant                  | <b>BASE</b>           | ¢        |
| <i>Pancrease</i>                                                | <b>Pancrelipase</b>                                             | Pancreatic Enzymes                                         | <b>CANCER</b>         | \$\$\$\$ |
| <b>Pancrelipase</b>                                             | <i>Pancrease</i>                                                | Pancreatic Enzymes                                         | <b>CANCER</b>         | \$\$\$\$ |
| <i>Pepcid</i>                                                   | <b>Famotidine (No Oral Liq)</b>                                 | Gastrointestinal-H2 Antagonist                             | <b>BASE</b>           | \$       |
| <i>Percocet</i>                                                 | <b>Oxycodone/Acetaminophen</b>                                  | Nociceptive Pain-Combination Opioid/Nonopioid              | <b>BASE</b>           | \$\$     |
| <b>Phenazopyridine</b>                                          | <i>Pyridium</i>                                                 | Genitourinary-Urinary Analgesic                            | <b>BASE</b>           | ¢¢       |
| <i>Phenergan</i>                                                | <b>Promethazine</b>                                             | Nausea & Vomiting-Chemoreceptor Trigger Zone-Phenothiazine | <b>BASE</b>           | \$       |
| <b>Phenobarbital</b>                                            | <i>Luminal</i>                                                  | Agitation, Seizures-Barbiturate                            | <b>BASE</b>           | ¢        |
| <b>Phenytoin</b>                                                | <i>Dilantin</i>                                                 | Seizures-Maintenance                                       | <b>BASE</b>           | ¢¢       |
| <i>Plendil</i>                                                  | <b>Felodipine</b>                                               | Calcium Channel Blockers                                   | <b>CARDIAC/STROKE</b> | \$       |
| <b>Potassium Chloride</b>                                       | <i>KlorCon</i>                                                  | Cardiac-Potassium Supplement                               | <b>BASE</b>           | ¢        |
| <b>Pramipexole</b>                                              | <i>Mirapex</i>                                                  | Antiparkinson's Agents                                     | <b>NEUROMUSCULAR</b>  | \$\$\$\$ |

| Generic/Brand Drug Name            | Generic/Brand Drug Name                    | Drug Class/Indication                                                           | Formulary                   | Cost     |
|------------------------------------|--------------------------------------------|---------------------------------------------------------------------------------|-----------------------------|----------|
| <b>Prednisone</b>                  | <i>Deltasone</i>                           | Anorexia, Fatigue, Pain, Pruritus, Respiratory Anti-Inflammatory-Corticosteroid | <b>BASE</b>                 | ¢        |
| <b>Pregabalin</b>                  | <i>Lyrica</i>                              | Neuropathic Pain-Antiepileptic                                                  | <b>BASE</b>                 | \$\$\$   |
| <i>Prilosec OTC</i>                | <b>Omeprazole OTC</b>                      | Gastrointestinal-Proton Pump Inhibitor                                          | <b>BASE</b>                 | \$       |
| <i>Prinivil</i>                    | <b>Lisinopril</b>                          | ACE Inhibitors                                                                  | <b>CARDIAC/STROKE</b>       | ¢¢       |
| <i>Zestril</i>                     | <b>Lisinopril</b>                          | ACE Inhibitors                                                                  | <b>CARDIAC/STROKE</b>       | ¢¢       |
| <i>Procardia</i>                   | <b>Nifedipine</b>                          | Calcium Channel Blockers                                                        | <b>CARDIAC/STROKE</b>       | \$       |
| <b>Prochlorperazine</b>            | <i>Compazine</i>                           | Nausea & Vomiting; Chemoreceptor Trigger Zone-Phenothiazine                     | <b>BASE</b>                 | \$       |
| <b>Promethazine</b>                | <i>Phenergan</i>                           | Nausea & Vomiting- Chemoreceptor Trigger Zone-Phenothiazine                     | <b>BASE</b>                 | \$       |
| <b>Propoxyphene/ Acetaminophen</b> | <i>Darvocet N-100</i>                      | Nociceptive Pain-Combination Opioid/Nonopioid                                   | <b>BASE</b>                 | \$\$     |
| <b>Propranolol</b>                 | <i>Inderal</i>                             | Beta Adrenergic Blockers                                                        | <b>CARDIAC/STROKE/LIVER</b> | ¢¢       |
| <i>Proventil</i>                   | <b>Albuterol</b>                           | Beta Agonist Bronchodilator                                                     | <b>BASE</b>                 | \$\$     |
| <i>Prozac</i>                      | <b>Fluoxetine</b>                          | Depression-Selective Serotonin Reuptake Inhibitor                               | <b>BASE</b>                 | \$       |
| <b>Psyllium</b>                    | <i>Metamucil</i>                           | Diarrhea-Absorbent-Bulk Laxative                                                | <b>BASE</b>                 | ¢        |
| <i>Pyridium</i>                    | <b>Phenazopyridine</b>                     | Genitourinary-Urinary Analgesic                                                 | <b>BASE</b>                 | ¢¢       |
| <i>Q Var</i>                       | <b>Beclomethasone</b>                      | Corticosteroids - Inhaled                                                       | <b>PULMONARY</b>            | \$\$\$   |
| <b>Quetiapine</b>                  | <i>Seroquel</i>                            | Atypical Antipsychotics                                                         | <b>NEUROMUSCULAR</b>        | \$\$\$   |
| <b>Quinapril</b>                   | <i>Accupril</i>                            | ACE Inhibitors                                                                  | <b>CARDIAC/STROKE</b>       | \$       |
| <b>Ramipril</b>                    | <i>Altace</i>                              | ACE Inhibitors                                                                  | <b>CARDIAC/STROKE</b>       | \$\$     |
| <b>Ranitidine (No Oral Liq)</b>    | <i>Zantac</i>                              | Gastrointestinal-H2 Antagonist                                                  | <b>BASE</b>                 | \$       |
| <i>Reglan</i>                      | <b>Metoclopramide</b>                      | Hiccups, Nausea & Vomiting                                                      | <b>BASE</b>                 | \$\$     |
| <i>Remeron</i>                     | <b>Mirtazapine</b>                         | Anorexia, Depression, Insomnia-Atypical Antidepressant                          | <b>BASE</b>                 | \$       |
| <i>Requip</i>                      | <b>Ropinirole</b>                          | Antiparkinson's Agents                                                          | <b>NEUROMUSCULAR</b>        | \$\$\$\$ |
| <i>Restoril</i>                    | <b>Temazepam</b>                           | Insomnia-Benzodiazepine                                                         | <b>BASE</b>                 | ¢        |
| <i>Ritalin</i>                     | <b>Methylphenidate</b>                     | Depression, Fatigue-Psychostimulant                                             | <b>BASE</b>                 | \$       |
| <i>Robinul</i>                     | <b>Glycopyrrolate injection</b>            | Nausea & Vomiting, Secretions-Anticholinergic                                   | <b>BASE</b>                 | \$\$\$   |
| <i>Robitussin</i>                  | <b>Guaifenesin Liq</b>                     | Cough-Expectorant                                                               | <b>BASE</b>                 | ¢¢       |
| <i>Robitussin AC</i>               | <b>Guaifenesin/Codeine Liq</b>             | Cough-Expectorant/Suppressant                                                   | <b>BASE</b>                 | \$\$     |
| <i>Robitussin DM</i>               | <b>Guaifenesin/Dextromethorphan Liq</b>    | Cough-Expectorant/Suppressant                                                   | <b>BASE</b>                 | \$\$     |
| <b>Ropinirole</b>                  | <i>Requip</i>                              | Antiparkinson's Agents                                                          | <b>NEUROMUSCULAR</b>        | \$\$\$\$ |
| <i>MS Contin</i>                   | <b>Morphine ER</b>                         | Pain, Dyspnea-Opioid                                                            | <b>BASE</b>                 | \$\$     |
| <i>Roxanol</i>                     | <b>Morphine IR</b>                         | Pain, Dyspnea-Opioid                                                            | <b>BASE</b>                 | \$       |
| <i>Roxicodone</i>                  | <b>Oxycodone IR (No Sustained Release)</b> | Pain, Dyspnea-Opioid                                                            | <b>BASE</b>                 | \$       |
| <b>Saline-Nebulized</b>            | <i>Saline-Nebulized</i>                    | Respiratory-Humidifier                                                          | <b>BASE</b>                 | \$       |
| <i>Salivart</i>                    | <b>Artificial Saliva</b>                   | Xerostoma (dry mouth)                                                           | <b>BASE</b>                 | ¢¢       |
| <b>Salmeterol Xinafoate</b>        | <i>Serevent Diskus</i>                     | Beta Adrenergic Agonists                                                        | <b>PULMONARY</b>            | \$\$\$   |
| <b>Salmeterol-Fluticasone</b>      | <i>Advair</i>                              | Beta Adrenergic Agonist/Corticosteroid                                          | <b>PULMONARY</b>            | \$\$\$\$ |
| <i>Sarna</i>                       | <b>Camphor/Menthol Lotion</b>              | Topical-Antipruritic                                                            | <b>BASE</b>                 | \$       |
| <b>Scopolamine Patch</b>           | <i>Transderm Scop</i>                      | Nausea & Vomiting, Secretions-Anticholinergic                                   | <b>BASE</b>                 | \$\$\$   |
| <b>Selegiline</b>                  | <i>Eldepryl</i>                            | Antiparkinson's Agents                                                          | <b>NEUROMUSCULAR</b>        | ¢¢       |

| Generic/Brand Drug Name              | Generic/Brand Drug Name                | Drug Class/Indication                               | Formulary             | Cost       |
|--------------------------------------|----------------------------------------|-----------------------------------------------------|-----------------------|------------|
| <b>Senna</b>                         | <i>Senokot</i>                         | Constipation-Stimulant Laxative                     | <b>BASE</b>           | ¢          |
| <b>Senna/Docusate Sodium</b>         | <i>Senokot S</i>                       | Constipation-Stimulant and Softner Combination      | <b>BASE</b>           | ¢¢         |
| <i>Senokot</i>                       | <b>Senna</b>                           | Constipation-Stimulant Laxative                     | <b>BASE</b>           | ¢          |
| <i>Senokot S</i>                     | <b>Senna/Docusate Sodium</b>           | Constipation-Stimulant and Softner Combination      | <b>BASE</b>           | ¢¢         |
| <i>Serevent Diskus</i>               | <b>Salmeterol Xinafoate</b>            | Beta Adrenergic Agonists                            | <b>PULMONARY</b>      | \$\$\$     |
| <i>Seroquel</i>                      | <b>Quetiapine</b>                      | Atypical Antipsychotics                             | <b>NEUROMUSCULAR</b>  | \$\$\$     |
| <b>Sertraline</b>                    | <i>Zoloft</i>                          | Depression-Selective Serotonin Reuptake Inhibitor   | <b>BASE</b>           | \$\$       |
| <i>Silvadene</i>                     | <b>Silver Sulfadiazine Cream</b>       | Topical-Burn & Antibacterial                        | <b>BASE</b>           | \$         |
| <b>Silver Sulfadiazine Cream</b>     | <i>Silvadene</i>                       | Topical-Burn & Antibacterial                        | <b>BASE</b>           | \$         |
| <b>Simethicone</b>                   | <i>Mylicon</i>                         | Gastrointestinal-Gas                                | <b>BASE</b>           | ¢          |
| <i>Sinemet</i>                       | <b>Levodopa/Carbidopa</b>              | Antiparkinson's Agents                              | <b>NEUROMUSCULAR</b>  | \$         |
| <i>Sinequan</i>                      | <b>Doxepin</b>                         | Neuropathic Pain, Pruritus-Tricyclic Antidepressant | <b>BASE</b>           | ¢          |
| <b>Sodium Chloride 0.9%</b>          |                                        | Injection, Irrigation, Nasal Spray                  | <b>BASE</b>           | ¢¢         |
| <b>Sodium Phosphate Enema</b>        | <i>Fleet Enema</i>                     | Constipation-Osmotic Laxative                       | <b>BASE</b>           | \$         |
| <i>Somnote</i>                       | <b>Chloral Hydrate</b>                 | Insomnia-Hypnotic, Nonbenzodiazepine                | <b>BASE</b>           | ¢¢         |
| <b>Sorbitol 70% Soln</b>             | <i>Sorbitol</i>                        | Constipation-Osmotic Laxative                       | <b>BASE</b>           | \$         |
| <i>Spiriva</i>                       | <b>Tiotropium</b>                      | Pulmonary-Anticholinergic                           | <b>PULMONARY</b>      | \$\$\$     |
| <b>Spironolactone</b>                | <i>Aldactone</i>                       | Fluid Retention-Potassium Sparing Diuretic          | <b>BASE</b>           | ¢¢         |
| <i>Stelevo</i>                       | <b>Levodopa/Carbidopa/Entacapone</b>   | Antiparkinson's Agents                              | <b>NEUROMUSCULAR</b>  | \$\$\$\$\$ |
| <b>Sucralfate</b>                    | <i>Carafate</i>                        | Gastrointestinal-Protectant                         | <b>BASE</b>           | \$         |
| <i>Sular</i>                         | <b>Nisoldipine</b>                     | Calcium Channel Blockers                            | <b>STROKE</b>         | \$\$       |
| <b>Sulfamethoxazole/Trimethoprim</b> | <i>Bactrim DS</i>                      | Infection-Bacterial                                 | <b>BASE</b>           | ¢¢         |
| <i>Sween</i>                         | <b>Vitamin A &amp; D Cream</b>         | Topical-Emollient                                   | <b>BASE</b>           | ¢¢         |
| <i>Symmetrel</i>                     | <b>Amantadine</b>                      | Antiparkinson's Agents                              | <b>NEUROMUSCULAR</b>  | ¢¢         |
| <i>Tegretol</i>                      | <b>Carbamazepine</b>                   | Neuropathic Pain, Seizures-Antiepileptic            | <b>BASE</b>           | ¢¢         |
| <b>Temazepam</b>                     | <i>Restoril</i>                        | Insomnia-Benzodiazepine                             | <b>BASE</b>           | ¢          |
| <i>Tenormin</i>                      | <b>Atenolol</b>                        | Beta Adrenergic Blockers                            | <b>CARDIAC/STROKE</b> | ¢          |
| <b>Terazosin</b>                     | <i>Hytrin</i>                          | Alpha Adrenergic Blockers                           | <b>CARDIAC/STROKE</b> | ¢          |
| <i>Tessalon Perles</i>               | <b>Benzonatate</b>                     | Cough-Suppressant                                   | <b>BASE</b>           | \$\$\$     |
| <i>Theo-Dur</i>                      | <b>Theophylline</b>                    | Pulmonary-Xanthines                                 | <b>PULMONARY</b>      | ¢¢         |
| <b>Theophylline</b>                  | <i>Theo-Dur</i>                        | Pulmonary-Xanthines                                 | <b>PULMONARY</b>      | ¢¢         |
| <b>Thickening Agent</b>              | <i>Thick-it</i>                        | Dysphagia                                           | <b>BASE</b>           | ¢¢         |
| <i>Thick-it</i>                      | <b>Thickening Agent</b>                | Dysphagia                                           | <b>BASE</b>           | ¢¢         |
| <i>Thorazine</i>                     | <b>Chlorpromazine</b>                  | Agitation, Hiccups, Nausea & Vomiting-Phenothiazine | <b>BASE</b>           | \$         |
| <b>Thymol/Menthol/Ointment</b>       | <i>Calmoseptine</i>                    | Topical-Protectant                                  | <b>BASE</b>           | ¢          |
| <i>Tigan Capsules</i>                | <b>Trimethobenzamide</b>               | Antiemetics-Antihistamine                           | <b>NEUROMUSCULAR</b>  | \$\$\$     |
| <b>Tiotropium</b>                    | <i>Spiriva</i>                         | Pulmonary-Anticholinergics                          | <b>PULMONARY</b>      | \$\$\$     |
| <b>Tizanidine</b>                    | <i>Zanaflex</i>                        | Antispasmodics                                      | <b>NEUROMUSCULAR</b>  | \$\$       |
| <i>Toprol XL</i>                     | <b>Metoprolol</b>                      | Beta Adrenergic Blockers                            | <b>CARDIAC/STROKE</b> | ¢          |
| <i>Transderm Scop</i>                | <b>Scopolamine Patch</b>               | Nausea & Vomiting, Secretions-Anticholinergic       | <b>BASE</b>           | \$\$\$     |
| <b>Trazodone</b>                     | <i>Desyrel</i>                         | Insomnia-Antidepressant                             | <b>BASE</b>           | ¢          |
| <b>Trihexyphenidyl</b>               | <i>Trihexyphenidyl</i>                 | Antiparkinson's Agents                              | <b>NEUROMUSCULAR</b>  | ¢          |
| <i>Trilisate</i>                     | <b>Choline Magnesium Trisalicylate</b> | Pain-Salicylate anti-inflammatory                   | <b>BASE</b>           | \$\$       |

| Generic/Brand Drug Name         | Generic/Brand Drug Name               | Drug Class/Indication                                                       | Formulary                    | Cost            |
|---------------------------------|---------------------------------------|-----------------------------------------------------------------------------|------------------------------|-----------------|
| <b>Trimethobenzamide</b>        | <i>Tigan Capsules</i>                 | Antiemetics-Antihistamine                                                   | <b>NEUROMUSCULAR</b>         | <b>\$\$\$</b>   |
| <i>Tylenol</i>                  | <b>Acetaminophen</b>                  | Fever, Pain-Nonopioid                                                       | <b>BASE</b>                  | <b>¢</b>        |
| <i>Urecholine</i>               | <b>Bethanechol</b>                    | Genitourinary-Cholinergic                                                   | <b>BASE</b>                  | <b>\$\$\$</b>   |
| <i>Valium</i>                   | <b>Diazepam (No Diastat)</b>          | Anxiety, Dyspnea, Muscle Spasms, Nausea & Vomiting, Seizures-Benzodiazepine | <b>BASE</b>                  | <b>\$</b>       |
| <b>Valproic acid/Divalproex</b> | <i>Depakene/Depakote</i>              | Seizures-Maintenance-Antiepileptic                                          | <b>BASE</b>                  | <b>\$\$\$</b>   |
| <b>Valsartan</b>                | <i>Diovan</i>                         | Angiotensin Receptor Blockers                                               | <b>CARDIAC/STROKE</b>        | <b>\$\$</b>     |
| <i>Vasotec</i>                  | <b>Enalapril</b>                      | ACE Inhibitors                                                              | <b>CARDIAC/STROKE</b>        | <b>¢¢</b>       |
| <b>Verapamil</b>                | <i>Calan</i>                          | Calcium Channel Blockers                                                    | <b>CARDIAC/STROKE</b>        | <b>\$\$</b>     |
| <i>Vibramycin</i>               | <b>Doxycycline</b>                    | Infection-Bacterial                                                         | <b>BASE</b>                  | <b>\$</b>       |
| <i>Vicodin</i>                  | <b>Hydrocodone/Acetaminophen</b>      | Nociceptive Pain-Combination Opioid/Nonopioid                               | <b>BASE</b>                  | <b>\$\$</b>     |
| <b>Vitamin A &amp; D Cream</b>  | <i>Sween</i>                          | Topical-Emollient                                                           | <b>BASE</b>                  | <b>¢¢</b>       |
| <b>Vitamin K</b>                | <i>Mephyton, AquaMephyton</i>         | Coagulants                                                                  | <b>LIVER</b>                 | <b>¢¢</b>       |
| <b>Warfarin</b>                 | <i>Coumadin</i>                       | Anticoagulants                                                              | <b>CANCER/CARDIAC/STROKE</b> | <b>¢¢</b>       |
| <i>Xanax</i>                    | <b>Alprazolam</b>                     | Anxiety, Dyspnea, Insomnia, Nausea & Vomiting-Benzodiazepine                | <b>BASE</b>                  | <b>\$</b>       |
| <i>Xylocaine</i>                | <b>Lidocaine Inj for Nebulization</b> | Cough-Suppressant                                                           | <b>BASE</b>                  | <b>\$\$\$</b>   |
| <i>Xylocaine Viscous</i>        | <b>Lidocaine Oral</b>                 | Pain-Pharyngeal                                                             | <b>BASE</b>                  | <b>\$</b>       |
| <i>Zanaflex</i>                 | <b>Tizanidine</b>                     | Antispasmodics                                                              | <b>NEUROMUSCULAR</b>         | <b>\$\$</b>     |
| <i>Zantac</i>                   | <b>Ranitidine (No Oral Liq)</b>       | Gastrointestinal-H2 Antagonist                                              | <b>BASE</b>                  | <b>\$</b>       |
| <i>Zaroxolyn</i>                | <b>Metolazone</b>                     | Fluid Retention-Thiazide Diuretic                                           | <b>BASE</b>                  | <b>\$\$</b>     |
| <i>Zebeta</i>                   | <b>Bisoprolol</b>                     | Beta Adrenergic Blockers                                                    | <b>CARDIAC/STROKE</b>        | <b>\$</b>       |
| <b>Zinc Oxide + Dimethicone</b> | <i>Baza Protect</i>                   | Topical-Protectant                                                          | <b>BASE</b>                  | <b>¢¢</b>       |
| <b>Zinc Oxide Ointment</b>      | <i>Desitin</i>                        | Topical-Protectant                                                          | <b>BASE</b>                  | <b>¢¢</b>       |
| <i>Zithromax</i>                | <b>Azithromycin</b>                   | Infection-Bacterial                                                         | <b>BASE</b>                  | <b>\$\$\$\$</b> |
| <i>Zoloft</i>                   | <b>Sertraline</b>                     | Depression-Selective Serotonin Reuptake Inhibitor                           | <b>BASE</b>                  | <b>\$\$</b>     |
| <i>Zovirax (Oral Only)</i>      | <b>Acyclovir</b>                      | Infection-Antiviral                                                         | <b>BASE</b>                  | <b>\$\$\$</b>   |

**Relative Cost Per Day Chart**

**¢ = <\$0.50**

**¢¢ = \$0.50-0.99**

**\$ = \$1.00-1.99**

**\$\$ = \$2.00-2.99**

**\$\$\$ = \$3.00- 4.99**

**\$\$\$\$ = \$5.00-9.99**

**\$\$\$\$\$ = \$10.00-20.00**

**Please Note: Unless otherwise noted, all strengths and dosage forms of listed medications are covered on both the Base List and Diagnosis Specific Categories.**